


FRIDA



Frida

Plaster/Methacrylate-Escayola/Metacrilato


Matt white-Blanco mate

16/3300  LED 6W 540lm 3200K CRI>80 PCB 

A33001B



LOTTO



Lotto

Plaster-Escayola


Matt white-Blanco mate

16/3357  1xE14

A33571B



AXEL



Axel

Plaster/Glass-Escayola/Cristal




Matt white-Blanco mate

16/3299  LED 6W 600lm 3200K CRI>80 PCB 

A32991B



ALBA



Alba

Plaster-Escayola

Matt white-Blanco mate


16/3386-30  1xE14

A33861B

16/3386-53  2xE14

A33863B

ANKARA



Ankara

Cement/Glass-Cemento/Cristal


16/3684  **1xE14**

Stone cement A36841B
Cemento piedra

Anthracite cement A36841N
Cemento antracita



DANA



Dana


Plaster-Escayola
Matt white-Blanco mate

16/3387  **1xE14**

A33871B



BASTRA



Bastra


Metal-Metal

Textured White-Blanco Texturado

16/3752  LED 12W 960lm 3000K CRI>80 PCB 

A375210B

BELO



Belo

Metal-Metal
Textured white-Blanco texturado


16/3641-12  LED 10W 895lm 3000K CRI>80 PCB 

A364110B





BLAS



Blas IP54

Aluminium-Aluminio


16/3780  LED 8W 640lm 3000K CRI>80 PCB 

Textured White-Blanco Texturado A378020B

Textured Black-Negro Texturado A378020N



KIRA



Kira IP54


Metal-Metal

Textured white-Blanco texturado

16/3424  LED 6W 660lm 3200K CRI>80 PCB 

A342410B

BUTON



Buton

Metal-Metal

Textured white-Blanco texturado

16/3695 ☐ LED 10W 808lm 3200K CRI>80




A36950B





LUCA



Luca

Metal-Metal


White-Blanco

16/3423-26  LED 10,5W 1100lm 3200K CRI>80 PCB 



A3423100B

16/3423-42  LED 21W 2200lm 3200K CRI>80 PCB 

A3423200B



JONSU



Jonsu

Metal-Metal


16/3694  LED 2x5W 808lm 3200K CRI>80 COB 

Textured white-Blanco texturado A36940B

Satin nickel-Níquel satinado A36940NS



AIR



Air

Metal/Acrylic-Metal/Acrílico

Textured white-Blanco texturado

16/3566  LED 9.2W 729lm 3000K CRI>80 PCB 

ON-OFF TRIAC

A356610B A356610BDT



GALA





Gala

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado


16/3189-43  LED 21W 2200lm 3200K CRI>80 PCB 

A318910B





PLUMA



Pluma

Metal-Metal


Textured white-Blanco texturado


16/3268-40  LED 12W 1320lm 3200K CRI>80 PCB 

ON-OFF	TRIAC	DALI/PUSH
A32682B	A32682BDT	A32682BDP



IRENE



Irene

Metal/Acrylic-Metal/Acrílico


White Textured-Blanco texturado

16/3624  LED 12W 1000lm 3200K CRI>80 PCB 

A362410B



EMMA



Emma




Metal-Metal

Textured white-Blanco texturado

16/3349-32  LED 12W 1320lm 3200K CRI>80 PCB 

A33492B

ICON



Icon

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado



16/3089-10  LED 8,5W 890lm 3200K CRI>80 PCB 

ON-OFF	TRIAC	DALI/PUSH
A308910B	A308910BDT	A308910BDP

16/3089-20  LED 10,5W 1100lm 3200K CRI>80 PCB 

ON-OFF	TRIAC	DALI/PUSH
A308920B	A308920BDT	A308920BDP


16/3089-36  LED 21W 2200lm 3200K CRI>80 PCB 

ON-OFF	TRIAC	DALI/PUSH
A308930B	A308930BDT	A308930BDP



SHADOW

By Nacho Timón



Shadow


Metal-Metal

16/3796  LED 12W 930lm 3000K CRI>80 PCB 

Textured White-Blanco Texturado A379610B

Textured Black-Negro Texturado A379610N

NORMA




Norma

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado


16/3546  LED 12W 840lm 3200K CRI>80 PCB 

A354610B





KOWA



Kowa IP54

Aluminium-Aluminio


16/2033  **LED 2x5W 850lm 3000K CRI>80** COB 

Textured White-Blanco Texturado A203310B

Textured Black-Negro Texturado A203310N



KENDO



Kendo IP54

Aluminium-Aluminio

16/2032  **LED 2x5W 850lm 3000K CRI>80** COB 

Textured White-Blanco Texturado A203210B


Textured Black-Negro Texturado A203210N

TEMPO

By Nacho Timón



By Nacho Timón




Tempo IP44

Metal-Metal
Chrome-Cromo

16/3776  LED 12W 1140lm 3000K CRI>80 PCB 


A377610C

 Battery included
Pila incluida





ONDAS




Ondas

Double layer glass-Cristal doble capa
Opal-Opal

16/696  1xE14

A166961OP



Dina


Double layer glass-Cristal doble capa
Opal-Opal

16/3071  1xE27

A30711OP



DORA



Dora

Double layer glass-Cristal doble capa
Opal-Opal

16/694  1xE27

A166941OP

BELLA



Bella


Double layer glass-Cristal doble capa
Opal-Opal

16/3263-20  1xE27

A32631OP


16/3263-40  2xE27

A32632OP





GILDA




Gilda
Double layer glass-Cristal doble capa
Opal-Opal

16/695	⊕	1xE27
A166951OP		



PERLA



Perla
Double layer glass-Cristal doble capa

16/3020	⊕	2xE27
Opal/Chrome		A30201OP
Opal/Cromo		
Technical gold		A30201OT
Oro técnico		

CASIO



Casio

Metal/Glass-Metal/Cristal

16/13 IP44  **2xE27**

Chrome/Opal -Cromo/Opal A16130CR

Satin nickel/Opal-Niquel sat./Opal A16130NM

White/Opal-Blanco/Opal A16130B

16/13 IP44  **T5 1x24W**

Chrome/Opal -Cromo/Opal A16132CR

Satin nickel/Opal-Niquel sat./Opal A16132NM

White/Opal-Blanco/Opal A16132B



Casio

Metal/Glass-Metal/Cristal

16/10 IP44  **2xE27**

Chrome/Opal -Cromo/Opal A16100C

Satin nickel/Opal-Niquel sat./Opal A16100NM

White/Opal-Blanco/Opal A16100B



Casio

Metal/Glass-Metal/Cristal

16/50 IP21  **1xE27**

Chrome/Opal -Cromo/Opal A16501C

Satin nickel/Opal-Niquel sat./Opal A16501NM

White/Opal-Blanco/Opal A16501B

16/50 IP44  **1xE27**

Chrome/Opal -Cromo/Opal A16501CIP

Satin nickel/Opal-Niquel sat./Opal A16501NMIP

White/Opal-Blanco/Opal A16501BIP



CITY

City


Double layer glass/Metal-Cristal doble capa/Metal
Opal/Satin Nickel-Opal/Níquel Satinado

16/3579



1xE27

A35791OP



MILANO

Milano


Glass/Metal-Cristal/Metal
Opal/Satin nickel-Opal/Níquel satinado

16/329



2xE14

A163291NMS



ARCHER

Archer


Metal/Glass-Metal/Cristal
Satin nickel/Opal-Níquel satinado/Opal

16/330




2xE14

A163301NMS



LOLA



Lola

Aluminium-Aluminio

16/3521-34  LED 10W 810lm 3000K CRI>80 PCB 




ON-OFF TRIAC DALI/PUSH

Textured white-Blanco texturado A352110B A352110BDT A352110BDP

Satin nickel-Niquel satinado A352110NS A352110NSDT A352110NSDP



AZAEEL



Azael

Glass/Metal-Cristal/Metal
Opal/Chrome-Opal/Cromo



16/659  1xE27

A166591OP





ELECTRA



Electra

Metal//Methacrylate-Metal//Metacrilato


Satin nickel -Niquel Satinado

16/3625  LED 12W 1000lm 3200K CRI>80 PCB 

A362510NS



SASA



Sasa


Metal//Methacrylate-Metal//Metacrilato

Satin nickel-Niquel satinado

16/3623  LED 6W 660lm 3200K CRI>80 PCB 

A36231NMS




UNAX



Unax


Metal-Metal

16/608		1 x E27
White-Blanco		A166081B
Black-Negro		A166081N
Satin nickel-Níquel satinado		A166081NMS





JONAS



Jonas


Metal
Textured white-Blanco texturado

16/3519  1xE27

A35191B



BEA



Bea

Metal/Acrylic-Metal/Acrílico


16/3522  LED 14W 1190lm 3000K CRI>80 PCB 

Textured white-Blanco texturado A352210B

Satin nickel-Níquel satinado A352210NS

Technical gold-Oro técnico A352210OT

LEYA



Leya

Metal-Metal


16/3574  LED 7,2W 715lm 3200K CRI>80 PCB 

Satin nickel-Níquel satinado A357410NS

White textured-Blanco texturado A357410B



CLOCK



Clock

Metal-Metal


Textured white-Blanco texturado

16/3571  LED 12W 860lm 3200K CRI>80 PCB 

A357110B



ALDO




Aldo IP44

Metal/Acrylic-Metal/Acrylic
Chrome-Cromo

16/3432-32		LED 12W 775lm CRI>80	PCB
3200K	A343210C		
4200K	A343211C		
16/3432-52		LED 20W 1270lm CRI>80	PCB
3200K	A343220C		
4200K	A343221C		
16/3432-82		LED 30W 2100lm CRI>80	PCB
3200K	A343230C		
4200K	A343231C		

CELSIO



Celso

Metal-Metal

Textured white-Blanco texturado


16/3415 LED 3W 315lm 3200K CRI>80

PCB

A341510B



ALAN



Alan

Metal/Methacrylate-Metal/Metacrilato

Satin nickel-Níquel satinado


16/737 LED 2W 315lm 3200K CRI>80

PCB

A167371NMS



NOA



Noa

Metal/Methacrylate-Metal/Metacrilato

Satin nickel-Níquel satinado


16/738 LED 2W 315lm 3200K CRI>80

PCB

A167381NMS



DENVER



Denver



Metal-Metal
Textured White-Blanco Texturado

16/3755  LED 7W 600lm 3000K CRI>80 PCB 

A375510B

 USB output: DC 5V-MAX. 2A

CORA



Cora



Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado

16/3414  LED 6W 610lm 3200K CRI>80 PCB 

A3414101B



BIAK



Biak

Metal-Metal

16/3720  LED 6W 485lm 3200K CRI>80 PCB 


Textured white-Blanco texturado A372010B

Textured black-Negro texturado A372010N





CIO



Cio

Metal-Metal

16/3239  LED 3W 315lm 3200K CRI>80

PCB 

Textured White-Blanco texturado


A32391B

Textured Black-Negro texturado

A32391N



LYON



Lyon

Metal/Methacrylate-Metal/Metacrilato

16/3699  LED 3W 315lm 3200K CRI>80


PCB 

Textured White-Blanco texturado

A36991B

Textured Black-Negro texturado

A36991N



Clik

Metal-Metal

16/3736  LED 3W 300lm 3200K CRI>80


COB 

Bronze-Bronce

A373610U

Mat nickel-Níquel mate

A373610NS



Craft

Metal-Metal

16/3737  LED 3W 300lm 3200K CRI>80


COB 

Bronze-Bronce


A373710U

Mat nickel-Níquel mate

A373710NS



LANDA



Landa

Metal/Methacrylate-Metal/Metacrilato

16/3666  LED 3W 315lm 3200K CRI>80

PCB 

Satin nickel-Niquel satinado A36661NMS


Antique brass-Cuero A36661U

 Recessed-Empotrable

Cutting hole
Agujero corte  Ø45 mm



MICRON



Micron


Metal/Methacrylate-Metal/Metacrilato

16/3667  LED 3W 315lm 3200K CRI>80


PCB 

Satin nickel-Niquel satinado A36671NMS

Antique brass-Cuero A36671U



FLEX



Flex

Metal/Methacrylate-Metal/Metacrilato

16/736  LED 3W 315lm 3200K CRI>80


PCB 

Satin nickel-Niquel satinado A167361NMS

Antique brass-Cuero A167361U



FER



Fer

Metal/Methacrylate-Metal/Metacrilato

16/739  LED 3W 315lm 3200K CRI>80

PCB 

Satin nickel-Niquel satinado A167391NMS

Antique brass-Cuero A167391U

ALEMA



Alema


Acrylic/Metal-Acrílico/Metal
Textured White-Blanco Texturado

USB output: DC 5V-MAX. 2A


16/3781-42  LED 9W 720lm 3000K CRI>80 PCB 

A378120B

Shade measures: 190(H) X Ø145 X Ø230
Medidas pantalla:



ALEMA




Alema

Acrylic/Metal-Acrílico/Metal
Textured White-Blanco Texturado

16/3781-32  **LED 9W 720lm 3000K CRI>80** PCB 

A378110B

Shade measures: 190(H) X Ø145 X Ø230
Medidas pantalla:



Alema


Acrylic/Metal-Acrílico/Metal
Textured White-Blanco Texturado

3781 Sob.  **LED 9W 720lm 3000K CRI>80** PCB 

S378110B

Shade measures: 190(H) X Ø145 X Ø230
Medidas pantalla:

LAIKA



Laika

Metal-Metal
Textured white-Blanco texturado

LED 4W 600lm PCB

LED 3W 315lm PCB

16/3665



3200K CRI>80

Left-Izquierda

A36651BIZQ

Right-Derecha

A36651BDER

USB output: 5V-2.5A




Left-Izquierda

Right-Derecha



ARIEL



Ariel

Metal-Metal
Textured white-Blanco texturado

LED 3W 315lm PCB

LED 8W 840lm PCB

16/3421-32



3200K CRI>80


A342110B



PANAU




Panau		LED 6W 750lm PCB	□□□□□□
Metal/Methacrylate-Metal/Metacrilato		LED 3W 315lm	PCB
16/3660	⊕	3200K CRI>80	
Satin nickel-Níquel satinado	A36600NS		
Textured white-Blanco texturado	A36600B		





ASEN




Asen

Metal-Metal
Satin nickel-Níquel satinado

16/3445  **LED 3W 315lm 3200K CRI>80**



A34450NS



Jubal

Metal-Metal
Satin nickel-Níquel satinado


16/3567  **LED 3W 315lm 3200K CRI>80**



A35670NS



ARON



Aron

Metal-Metal

16/3240  **LED 3W 315lm 3200K CRI>80**




Satin nickel-Níquel satinado A32401NS

Textured black-Negro texturado A32401N



MANAT



Manat

Metal/Methacrylate-Metal/Metacrilato

LED 12W 970lm PCB

LED 3W 315lm PCB

16/3568




3200K CRI>80

Satin nickel-Níquel satinado A35680NS

Textured white-Blanco texturado A35680B

USB output: 5V-0.7A

DISPONIBLE CON CABLE
AVAILABLE WITH CABLE



Manat (Cable)

Metal/Methacrylate-Metal/Metacrilato

LED 12W 970lm PCB

LED 3W 315lm PCB

16/3568



3200K CRI>80

Satin nickel-Níquel satinado A356810NSCE

Textured white-Blanco texturado A356810BCE

USB output: 5V-0.7A

Fabric wire & plug-Cable textil y enchufe

TUBE



Tube

Metal/Acrylic-Metal/Acrílico
Textured white-Blanco texturado


16/3682



A36820B


LED 5W 650lm PCB 
LED 3W 315lm PCB 

3200K CRI>80





BEN



Ben

Metal/Cotton-Metal/Algodón
Satin nickel-Níquel satinado

PCB 


16/656  1xE27 + LED 3W 315lm 3200K CRI>80

A166561NMS

Shade measures-Medidas pantalla: 155(H) X 200 X 170



WENDY



Wendy

Metal/Cotton-Metal/Algodón
Textured white-Blanco texturado

16/3697  1xE27+LED 3W 315lm 3200K CRI>80 PCB 

A36971B

Shade measures-Medidas pantalla: 158(H) X Ø160



Hold

Metal/Cotton-Metal/Algodón
Textured white-Blanco Texturado


16/3664  1xE27 + LED 3W 315lm 3200K CRI>80 PCB 

Left-Izquierda A36641BIZQ

Right-Derecha A36641BDER

• USB output: 5V-2A

Shade measures-Medidas pantalla:
140(H) X Ø140 X Ø180




Left-Izquierda



Right-Derecha



LISA



Lisa


Metal/Cotton-Metal/Algodón

16/3272  1xE27+LED 3W 315lm 3200K CRI>80 PCB 

Satin nickel-Níquel satinado A32721NS

White-Blanco A32721B

Shade measures-Medidas pantalla: 180(H) X Ø250 X Ø200



Lisa

Metal/Cotton-Metal/Algodón

16/3350  1xE27


Satin nickel-Níquel satinado A33501NS

White-Blanco A33501B

Shade measures: 180(H) X Ø250 X Ø200
Medidas pantalla:



BASTET



Bastet

Metal/Cotton-Metal/Algodón


Chrome-Cromo

16/3727  1xE27

A37271C

Shade measures: 160(H) X Ø260 X 134
Medidas pantalla:

CANDY



Candy


Metal/Methacrylate-Metal/Metacrilato

Textured white-Blanco texturado

16/3698  LED 5W 404lm 3200K CRI>80 PCB 

A36980B

• USB output: 5V-2.5A



Candy (Cable)

Metal/Methacrylate-Metal/Metacrilato


Textured white-Blanco texturado

16/3698  LED 5W 404lm 3200K CRI>80 PCB 


A36980BCE

• USB output: 5V-2.5A Fabric wire & plug-Cable textil y enchufe





SPECTRA




Spectra IP54

Aluminium-Aluminio
White-Blanco

3731/12  LED 7W 770lm 3200K CRI>80 PCB 

P37310B

DOBLE



Doble

Metal/Cotton-Metal/Algodón

16/779  1xE14+LED 3W 315lm 3200K CRI>80 PCB 


Satin nickel-Níquel satinado A167791NMS

Antique brass-Cuero A167791U

Shade measures: 140(H) X 200 X 120
Medidas pantalla:



BANDIT



Bandit

Metal/Cotton-Metal/Algodón

Satin nickel-Níquel satinado

16/784  1xE27+GU10 LED

A167841NMS


Shade measures: 190(H) X 300 X 140
Medidas pantalla:

Bulbs not included-Bombillas no incluidas





CARLO



Carlo

Metal/Cotton-Metal/Algodón

Satin nickel-Níquel satinado


16/780  **1xE27**

A167801NMS

Shade measures: 190(H) X 300 X 140
Medidas pantalla:



BENET



Benet

Metal/Cotton-Metal/Algodón

16/782  **1xE27+LED 3W 315lm 3200K CRI>80** 

Satin nickel-Níquel satinado A167821NMS

Chrome-Chrome A167821C

Shade measures-Medidas pantalla: 190(H) X 300 X 140

CUSTOM




Custom

Metal/Methacrylate-Metal/Metacrilato
Satin nickel-Níquel satinado

16/3033 LED 2W 315lm 3200K CRI>80 PCB

A303310NS




CUSTOM PERSONALIZABLE

Minimum order required

Pedido mínimo

PICTO



CUSTOM PERSONALIZABLE

Minimum order required
Pedido mínimo


Picto

Metal/Methacrylate-Metal/Metacrilato
Aluminium-Aluminio

16/3563  LED 2W 176lm 3000K CRI>80 PCB 

N A356310AN
WC A356310AWC
Wi-Fi A356310AWF

DARIO




Dario

Metal-Metal


16/3795  **LED 9W 720lm 3000K CRI>80** PCB 

Satin nickel-Níquel satinado A379510NS

Antique brass-Cuero A379510U



ADÁN




Adán

Metal-Metal



16/3413  **LED 6W 530lm 3200K CRI>80** PCB 

Satin nickel-Níquel satinado A341310NS

Antique brass-Cuero A341310U



BOSTON



Boston



Metal-Metal

16/752-35  LED 4W 440lm 3200K CRI>80 PCB 

Satin nickel-Níquel satinado A167521NMS

Antique brass-Cuero A167521U

NEUS



Neus

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado

16/3017-20  LED 10.5W 1100lm 3200K CRI>80 PCB 


A301710B

16/3017-36  LED 21W 2200lm 3200K CRI>80 PCB 

A301730B

ACB






PLAFONES

CEILING LAMPS

ISIA




REMOTE CONTROL AVAILABLE
MANDO A DISTANCIA DISPONIBLE



CASAMBI PROTOCOL AVAILABLE
PROTOCOLO CASAMBI DISPONIBLE



RAL COLOURS AVAILABLE (PLEASE CONSULT)
COLORES RAL DISPONIBLES (CONSULTAR)




Suspension
See pag. 203

Isia

Metal/Acrylic-Metal/Acrílico

3453/40 LED 40W 3660lm CRI>80 PCB []

		ON/OFF-TRIAC	DALI/PUSH
Textured White/Opal Blanco texturado/Opal	3200K 4200K	P345340BDT P345341BDT	P345340BDP P345341BDP
Textured Black/Opal Negro texturado/Opal	3200K 4200K	P345340NDT P345341NDT	P345340NDP P345341NDP
Technical Gold/Opal Oro técnico/Opal	3200K 4200K	P345340OTDT P345341OTDT	P345340OTDP P345341OTDP




Isia

Metal/Acrylic-Metal/Acrílico

3453/60 LED 55W 5250lm CRI>80 PCB []

		ON/OFF-TRIAC	DALI/PUSH
Textured White/Opal Blanco texturado/Opal	3200K 4200K	P345360BDT P345361BDT	P345360BDP P345361BDP
Textured Black/Opal Negro texturado/Opal	3200K 4200K	P345360NDT P345361NDT	P345360NDP P345361NDP
Technical Gold/Opal Oro técnico/Opal	3200K 4200K	P345360OTDT P345361OTDT	P345360OTDP P345361OTDP




Isia

Metal/Acrylic-Metal/Acrílico

3453/80 LED 88W 8440lm CRI>80 PCB []

		ON/OFF-TRIAC	DALI/PUSH
Textured White/Opal Blanco texturado/Opal	3200K 4200K	P345380BDT P345381BDT	P345380BDP P345381BDP
Textured Black/Opal Negro texturado/Opal	3200K 4200K	P345380NDT P345381NDT	P345380NDP P345381NDP
Technical Gold/Opal Oro técnico/Opal	3200K 4200K	P345380OTDT P345381OTDT	P345380OTDP P345381OTDP




Isia

Metal/Acrylic-Metal/Acrílico



3453/100 LED 150W 12300lm CRI>80 PCB []

		ON/OFF-TRIAC	DALI/PUSH
Textured White/Opal Blanco texturado/Opal	3200K 4200K	P345390BDT P345391BDT	P345390BDP P345391BDP
Textured Black/Opal Negro texturado/Opal	3200K 4200K	P345390NDT P345391NDT	P345390NDP P345391NDP
Technical Gold/Opal Oro técnico/Opal	3200K 4200K	P345390OTDT P345391OTDT	P345390OTDP P345391OTDP





ANGUS



Angus

Metal/Acrylic-Metal/Acrílico
Opal/White-Opal/Blanco




3447/40 **LED 40W 2900lm CRI>80**


	ON-OFF	TRIAC	DALI/PUSH
3000K	P344760B	P344760BDT	P344760BDP
4200K	P344761B	P344761BDT	P344761BDP

3447/60 **LED 70W 4000lm CRI>80**

	ON-OFF	TRIAC	DALI/PUSH
3000K	P344770B	P344770BDT	P344770BDP
4200K	P344771B	P344771BDT	P344771BDP



ALISO



Suspension
See pag. 213

Aliso

Metal/Acrylic-Metal/Acrílico

Textured white-Blanco texturado

3742/60 Pla.  LED 55W 4600lm 3200K CRI>80 PCB 


P374290B

LONDON



London

Metal/Acrylic-Metal/Acrílico

3760/40  **LED 22W 1460lm 3000K CRI>80** PCB Textured white/Opal
Blanco texturado/Opal P376040BTextured black/Opal
Negro texturado/Opal P376040N**3760/60**  **LED 42W 2790lm 3000K CRI>80** PCB Textured white/Opal
Blanco texturado/Opal P376060BTextured black/Opal
Negro texturado/Opal P376060N**3760/80**  **LED 72W 4780lm 3000K CRI>80** PCB Textured white/Opal
Blanco texturado/Opal P376080BTextured black/Opal
Negro texturado/Opal P376080NEXTRA FLAT
EXTRA PLANO





DILGA




Suspension
See pag. 207



Ø 450



130



Ø 600



130

Dilga

Metal/Acrylic-Metal/Acrílico



3450/45 **LED 27W 2100lm 3200K CRI>80** PCB

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345010B	P345010BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345010N	P345010NDT

3450/60 **LED 48W 3730lm 3200K CRI>80** PCB

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345020B	P345020BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345020N	P345020NDT

MINSK



Minsk

Metal/Acrylic-Metal/Acrílico

3758/40  LED 22W 1460lm 3000K CRI>80 PCB 

Textured white/Opal P375840B
Blanco texturado/Opal

Textured black/Opal P375840N
Negro texturado/Opal

3758/60  LED 42W 2790lm 3000K CRI>80 PCB 

Textured white/Opal P375860B
Blanco texturado/Opal

Textured black/Opal P375860N
Negro texturado/Opal

80 

Ø400 

80 

Ø600 



MUNICH



MUNICH



		Munich	
		Metal/Acrylic-Metal/Acrílico	
80 400		3759/40	LED 26W 1725lm 3000K CRI>80 PCB
		Textured white/Opal	P375940B
		Blanco texturado/Opal	
		Textured grey/Opal	P375940GR
		Gris texturado/Opal	
80 600		3759/60	LED 52W 3450lm 3000K CRI>80 PCB
		Textured white/Opal	P375960B
		Blanco texturado/Opal	
		Textured grey/Opal	P375960GR
		Gris texturado/Opal	

SQUARE




Square IP54

Acrylic-Acrílico

White-Blanco

3512/28  LED 24W 1700lm CRI>80 PCB 

ON-OFF P351213B **3000K 4000K 6500K**



* 3 in 1: Set the colour temperature before installing

* 3 en 1: Configura la temperatura de color antes de la instalación


AVAILABLE IN 3 VERSIONS: ON-OFF, SENSOR AND EMERGENCY
DISPONIBLE EN 3 VERSIONES: ON-OFF, SENSOR Y EMERGENCIA

MADISON



Madison IP54

Acrylic-Acrílico
White-Blanco



3497/28  **LED 24W 1700lm CRI>80**  PCB

ON-OFF P349713B **3000K 4000K 6500K**

 **SENSOR** P349713BMS **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación

 **EMERGENCY** P349711BEM **4000K**

SENSOR

					
Motion sensor Sensor de movimiento	5s-30 min. Hold time Tiempo de espera	6 m. max. Mounting height Altura de montaje	Automatic On/Off Encendido automático	1 - 6 m. Detection zone Zona de detección	10 - 2000 lux Light sensor Sensor de luminosidad

EMERGENCY

	
3h. Time Tiempo	EMERGENCY

UZZA

**Uzza**

Metal/Acrylic-Metal/Acrílico
Opal/White-Opal/Blanco




3448/40  **LED 40W 2900lm CRI>80** PCB 

	ON-OFF	TRIAC	DALI/PUSH
3000K	P344860B	P344860BDT	P344860BDP
4200K	P344861B	P344861BDT	P344861BDP

3448/60  **LED 70W 4000lm CRI>80** PCB 

	ON-OFF	TRIAC	DALI/PUSH
3000K	P344870B	P344870BDT	P344870BDP
4200K	P344871B	P344871BDT	P344871BDP




TURIN



Turin Metal/Acrylic-Metal/Acrílico Textured white/Opal-Blanco texturado/Opal	
50 300 900	3761/90 LED 36W 2390lm CRI>80 PCB
	3000K P376110B 4000K P376111B
50 300 1200	3761/120 LED 55W 3650lm CRI>80 PCB
	3000K P376120B 4000K P376121B



MOON

**Moon IP44**

Metal/Double layer glass-Metal/Cristal doble capa

Opal-Opal


969/19  **1xE9**

P09691OP

969/19  **LED 12W 1100lm CRI>80**PCB 

3200K P096910OP

4200K P096911OP

**969/28**  **2xE27**


P09692OP

969/28  **LED 18W 1890lm CRI>80**PCB 

2700K P096929OPL

3200K P096920OPL


4200K P09692OPL

**969/35**  **2xE27**

P09693OP

969/35  **LED 24W 2520lm CRI>80**PCB 

	ON-OFF	TRIAC	DALI/PUSH
2700K	P096939OPL	P096939OPLDT	P096939OPLDP
3200K	P096930OPL	P096930OPLDT	P096930OPLDP
4200K	P09693OPL	P09693OPLDT	P09693OPLDP

**969/50**  **3xE27**

P09697OP

969/50  **LED 36W 4000lm CRI>80**PCB 

	ON-OFF	TRIAC	DALI/PUSH
2700K	P096979OPL	P096979OPLDT	P096979OPLDP
3200K	P096970OPL	P096970OPLDT	P096970OPLDP
4200K	P096971OPL	P096971OPLDT	P096971OPLDP




LIVE

LiveMetal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo**3631/38**  **LED 28W 2550lm 3000K CRI>80** 

P363150OPL


3631/52  **LED 54W 5000lm 3000K CRI>80** 

P363170OPL





BLANCA



Blanca


Double layer glass/Metal-Cristal doble capa/Metal
Opal-Opal

3117  **2xE27**

P31172OP



SOFT



Soft

Double layer glass/Metal-Cristal doble capa/Metal
Opal-Opal


390/22  **1xE27**

P03901OP

390/28  **2xE27**

P03903OP

MEG

**Meg Semi.**

Double layer glass-Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado




5338/40 3xE27

DS53385OP

5338/40 LED 20W 1750lm 3000K CRI>80 PCB

DS533850OPL

**Meg**

Double layer glass-Cristal doble capa
Opal-Opal




338/30 2xE14

P03384OP

338/30 LED 14W 1220lm 3000K CRI>80 PCB

P033840OPL

**Meg**

Double layer glass-Cristal doble capa
Opal-Opal



338/40 3xE27


P03385OP

338/40 LED 20W 1750lm 3000K CRI>80 PCB

P033850OPL




ASER

**Aser Semi.**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado

3223/35  **2xE27**

DS32235NMS

**Aser**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado

3223/35  **2xE27**

P32235NMS

3223/45  **3xE27**

P32237NMS

PISA

Pisa IP44

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado


206/28  **2xE27**

P02062NMS

206/28  **LED 18W 1890lm CRI>80** PCB 

3200K P020620NMSL

4200K P02062NMSL

**Pisa IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado


206/35  **2xE27**

P02063NMS

206/35  **LED 24W 2520lm CRI>80** PCB 

3200K P020630NMSL

4200K P02063NMSL



ESUS

Esus IP44

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo


490/24  **2xE27**

P04903OP

490/24  **LED 12W 1100lm CRI>80** PCB 

3200K P049030OPL

4200K P049031OPL

**Esus IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo

490/31  **2xE27**


P04904OP

490/31  **LED 18W 1890lm CRI>80** PCB 

2700K P049049OPL

3200K P049040OPL


4200K P049041OPL



DINS

**Dins IP44**

Metal/Double layer glass
Metal/Cristal doble capa



395/26 **2xE27**


White-Opal/Blanco-Opal P03952B
Satin nickel-Opal/Niquel satinado-Opal P03952NMS

395/26 **LED 18W 1890lm CRI>80** PCB

White-Opal/Blanco-Opal	2700K	P039529BCL
	3200K	P039520BCL
	4200K	P03952BCL
Satin nickel-Opal/Niquel sat. Opal	2700K	P039529NSL
	3200K	P039520NSL
	4200K	P03952NSL

Dins IP44

Metal/Double layer glass
Metal/Cristal doble capa



395/32 **2xE27**

White-Opal/Blanco-Opal P03953B
Satin nickel-Opal/Niquel satinado-Opal P03953NMS


395/32 **LED 24W 2520lm CRI>80** PCB

White-Opal/Blanco-Opal	2700K	P039539BL
	3200K	P03953BSL
	4200K	P03953BL
Satin nickel-Opal/Niquel sat. Opal	2700K	P039539NSL
	3200K	P03953NMSL
	4200K	P03953NSL

LINA

**Lina IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Niquel Satinado



3472/25 **2xE27**


P34722NS

3472/25 **LED 18W 1890lm CRI>80** PCB

2700K	P347229NSL
3200K	P347220NSL
4200K	P347221NSL

Lina IP44

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Niquel Satinado




3472/30 **2xE27**

P34723NS

3472/30 **LED 24W 2520lm CRI>80** PCB

2700K	P347239NSL
3200K	P347230NSL
4200K	P347231NSL

KALI

**Kali**


Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

5412 2xE27

DS4125OP

5412 LED 20W 1750lm 3000K CRI>80 PCB


DS41250OPL

**Kali**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

16/412 1xE14

A164121OP

**Kali**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

412/30 2xE27

P04124OP

412/30 LED 14W 1220lm 3000K CRI>80 PCB

P041240OPL

412/40 2xE27


P04125OP

412/40 LED 20W 1750lm 3000K CRI>80 PCB

P041250OPL




AKIL

**Akil**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

16/511  **1xE27**

A165111T

**Akil**

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

511/30  **2xE27**

P05114T

511/40  **2xE27**

P05115T


TRIS

Tris

Metal/Double layer glass-Metal/Cristal doble capa
Opal-Opal

3118  1xE27

P31182OP




LAINA

Laina

Metal/Double layer glass-Metal/Cristal doble capa
Opal-Opal

3646  1xE27

P36462OP



STAR

**Star**


Metal/Acrylic-Metal/Acrílico
Textured white/Opal-Blanco texturado/Opal

3728/47  **LED 40W 2400lm 3200K CRI>80** PCB 

P372870B

3728/57  **LED 60W 4100lm 3200K CRI>80** PCB 

P372880B



SOL

**Sol**


Metal/Glass-Metal/Cristal
Craquele/Chrome-Craquelado/Cromo

285/30  **2xE27**

P02854RY

285/30  **LED 20W 1750lm 3000K CRI>80** PCB 

P028540RYL

**Sol**


Metal/Glass-Metal/Cristal
Craquele/Chrome-Craquelado/Cromo

285/40  **3xE27**

P02855RY

285/40  **LED 36W 2480lm 3000K CRI>80** PCB 

P028550RYL




TINIA

**Tinia**

Metal/Decorated glass-Metal/Cristal decorado
Opal-Opal

3429/30  **2xE27**


P34294OP

**Tinia**



Metal/Decorated glass-Metal/Cristal decorado
Opal-Opal

3429/40  **3xE27**

P34296OP



ROYAL

**Royal**

Metal/Acrylic-Metal/Acrílico
Opal-Opal


3629/40 **LED 36W 2520lm 3000K CRI>80**

P362960OPL

3629/50 **LED 48W 3360lm 3000K CRI>80**

P362980OPL

SALSA

**Salsa**

Metal/Acrylic-Metal/Acrílico

3569/46  **LED 30W 1800lm 3000K CRI>80** 

Textured white/Opal-Blanco texturado/Opal P356950B

Technical gold/Opal-Oro técnico/Opal P356950OT

3569/60  **LED 40W 2400lm 3000K CRI>80** 

Textured white/Opal-Blanco texturado/Opal P356960B

Technical gold/Opal-Oro técnico/Opal P356960OT

SHIITAKE



Suspension
See pag. 210

**Shiitake**


Metal/Acrylic-Metal/Acrílico
Black/Gold -Negro/Oro

3740/55  LED 60W 4560lm 3200K CRI>80 PCB 

P374060NO



BELENUS

**Belenus**

Metal/Methacrylate-Metal/Metacrilato
White-Blanco

3444/30  **LED 50W 2770lm 3200K CRI>80** PCB 

ON-OFF

TRIAC

DALI

P344410B



P344410BDT

P344410BDP



Suspension
See pag. 223

SAMOA

**Samoa**

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/3P  **LED 24W 1938lm 3200K CRI>80** PCB 


P364230B



Suspension
See pag. 219



KYOTO



Suspension
See pag. 211

Kyoto


Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3587/45  **LED 28W 2100lm 3200K CRI>80** PCB 

P358710B



CURVE



Suspension
See pag. 217

Curve

Aluminium/Aluminio-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Niquel Mate

3384/50  **LED 50W 4488lm 3200K CRI>80** PCB 

P338470NM

DOMINICA




Suspension
See pag. 220

Dominica

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/57  LED 40W 3224lm 3200K CRI>80 PCB 

P368170C






ITAL



Suspension
See pag. 231

**Ital**

Metal/Glass-Metal/Cristal
Chrome/White-Cromo/Blanco

3543/52  LED 32W 3168lm 3200K CRI>80 PCB 


P354370C



HALO



Suspension
See pag. 209

**Halo**


Metal/Glass-Metal/Cristal

3724/52  LED 36W 3064 lm CRI>80 PCB 

Textured White/Sanded	2700K	P372479B
Blanco Texturado/Arenado	3200K	P372470B
Satin Nickel/Sanded	2700K	P372479NSL
Níquel Satinado/Arenado	3200K	P372470NSL



ATEN



Aten

Metal/Acrylic-Metal/Acrílico
Opal/White-Opal/Blanco

3706/40  **LED 36W 4000lm CRI>80** PCB 

3200K P3706610OP


4200K P3706611OP

White/Sanded

Blanco Texturado/Arenado



CINTIA



Cintia

Aluminium/Acrylic-Aluminio/Acrílico
Aluminium/Opal-Aluminio/Opal


3419/35  **LED 20W 1890 lm 4000K CRI>80** PCB 

P34191AL





GOYA



Suspension
See pag. 208

**Goya**

Metal/Acrylic-Metal/Acrílico

388/48 **4xE27**

White-Opal/Blanco-Opal

P03885B


388/48 **LED 36W 2480lm 3000K CRI>80** PCB

White-Opal/Blanco-Opal

P038850BL



ADROA

**Adroa**

Aluminium/Acrylic-Aluminio/Acrílico

Opal-Opal


3417/35 **LED 20W 1300lm 3000K CRI>80** PCB

P341720OP

3417/40 **LED 36W 2480lm 3000K CRI>80** PCB

P341730OP


SMART

MINI
SPOT**Smart**Double layer glass-Cristal doble capa
Opal/Chrome-Opal/Cromo**521**  **1xGU10**

P052110P

Bulb not included - Bombilla no incluida

OSLO

**Oslo**Metal/Glass-Metal/Cristal
Textured White-Blanco Texturado**3565/35**  **LED 28W 2700lm 3200K CRI>80** PCB 

P356530B


3565/50  **LED 38W 3590lm 3200K CRI>80** PCB 

P356570B





ASIS



Asis

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

3360/42  LED 36W 4680lm 3200K CRI>80 PCB 


P33606OP

3360/56  LED 54W 7200lm 3200K CRI>80 PCB 

P33608OP



QUATRO





Quatro

Metal/Glass-Metal/Cristal
Forge/Opal-Forja/Opal

16/3721  1xE27

A37211F



Quatro

Metal/Glass-Metal/Cristal
Forge/Opal-Forja/Opal

3721/30  2xE27


P37214F

ARELI


**Areli**

Acrylic-Acrílico
Opal/White-Opal/Blanco

7147/120  **LED 36W 3400lm 6000K CRI>80** PCB 
P714733BL



URKO


**Urko**


Metal/Acrylic-Metal/Acrílico
Opal-Opal

966/80  **T8-2x36W** 
F09662OP

966/129  **LED T8-2x20W 3200lm CRI>80** 
4200K P096621OPL
6000K P096622OPL

Tube included-Tubo incluido





Saul

Metal/Methacrylate-Metal//Metacrilato

7113/80  LED 18W 2046lm 3200K CRI>80 PCB 



Textured Grey-Gris Texturado F71132GRL

Textured White-Blanco Texturado F71132BL




7113/95  LED 22W 2442lm 3200K CRI>80 PCB 

Textured Grey-Gris Texturado F71133GRL

Textured White-Blanco Texturado F71133BL



OMAR



Omar Col.

Aluminium/Acrylic-Aluminio/Acrílico
Silver-Plata

Tube included-Tubo incluido

1020 Col.  T5-2x54W 
FC10203AL

1020 Col.  LED T5-2x16W 3200lm 6500K CRI>80 
C102012AL Tube included-Tubo incluido

Omar

Aluminium/Acrylic-Aluminio/Acrílico
Silver-Plata

Tube included-Tubo incluido

1020  T5-2x54W 
F10203AL

1020  LED T5-2x16W 3200lm 6500K CRI>80 
P102012AL Tube included-Tubo incluido

ACB





ILUMINACIÓN TÉCNICA

TECHNICAL
LIGHTING

ZOOM Ceiling



Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado P37640B



Textured Black-Negro Texturado P37640N

Brushed Gold-Oro Satinado P37640OS

Bronze-Bronce P37640BR

 Surface
SuperficieBulb not included
Bombilla no incluida

ZOOM Pendant



Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado C37640B

Textured Black-Negro Texturado C37640N

Surface
SuperficieBulb not included
Bombilla no incluida

ZOOM Spot



Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado F37640B

Textured Black-Negro Texturado F37640N

Surface
SuperficieTilting & rotating
Basculante y rotatorioBulb not included
Bombilla no incluida

ZOOM Wall



Aluminium-Aluminio


16/3764-18  **2xGU10 LED**

Textured White-Blanco Texturado A37640B

Textured Black-Negro Texturado A37640N

Surface
SuperficieBulb not included
Bombilla no incluida

ZOOM Track

TRIFASICO
UNIVERSAL4 PISTAS
4 WIRE TRACKLIGHT

Aluminium-Aluminio


3764/6  **1xGU10 LED**

Textured White-Blanco Texturado T37640B

Textured Black-Negro Texturado T37640N

Surface
SuperficieTilting & rotating
Basculante y rotatorioBulb not included
Bombilla no incluida

BARDO Recessed



Aluminium-Aluminio

CREE

OPTIONAL
DIMMABLE


3556/14 LED 10W 705lm 3000K CRI>80 COB

ON-OFF TRIAC DALI/PUSH

Textured White/White <i>Blanco Texturado/Blanco</i>	P355610B	P355610BDT	P355610BDP
Textured White/Gold <i>Blanco Texturado/Oro</i>	P355610O	P355610ODT	P355610ODP
Textured White/Silver <i>Blanco Texturado/Plata</i>	P355610PL	P355610PLDT	P355610PLDP

 Recessed
Empotrable
 Tilting & rotating
Basculante y rotatorio
 Cutting hole
Agujero corte Ø120 mm.

TUBA Recessed



Aluminium-Aluminio

CREE

OPTIONAL
DIMMABLE


3537/5 LED 13W 870lm 3000K CRI>80 COB

ON-OFF TRIAC DALI/PUSH

Textured White/White <i>Blanco Texturado/Blanco</i>	P353710B	P353710BDT	P353710BDP
Textured White/Gold <i>Blanco Texturado/Oro</i>	P353710O	P353710ODT	P353710ODP
Textured White/Silver <i>Blanco Texturado/Plata</i>	P353710PL	P353710PLDT	P353710PLDP

 Recessed
Empotrable
 Tilting & rotating
Basculante y rotatorio
 Cutting hole
Agujero corte Ø 75 mm.

TUBA Surface



Aluminium-Aluminio

CREE

3536/5 LED 13W 870lm 3000K CRI>80 COB

Textured White/White P353610B

Blanco Texturado/Blanco

Textured White/Gold P353610O


Blanco Texturado/Oro

Textured White/Silver P353610PL

Blanco Texturado/Plata
 Surface
Superficie
 Tilting & rotating
Basculante y rotatorio



TAMI Recessed

Aluminium-Aluminio
White-Blanco**CREE** OPTIONAL
DIMMABLE**3416/16** **LED 30W 2700lm 4000K CRI>80** COB **ON-OFF****TRIAC****DALI/PUSH**


P341610B

P341610BDT

P341610BDP

Recessed
EmpotrableTilting & rotating
Basculante y rotatorioCutting hole
Agujero corte Ø 125 mm.


TAMI Surface

Aluminium-Aluminio
White-Blanco**CREE** **3550/16** **LED 30W 2700lm 4000K CRI>80** COB


P355010B

Surface
SuperficieTilting & rotating
Basculante y rotatorio

24°



ISQUIA Spot for Track/Foco para carril



CREE

Aluminium-Aluminio


4117/6 LED 13W 1200lm 3000K CRI 95 COB

Textured White-Blanco texturado R411710B

Textured Black-Negro texturado R411710N

4 PISTAS
4 WIRE TRACKLIGHT

ISQUIA Spot for Track/Foco para carril



CREE

Aluminium-Aluminio


4117/9 LED 27W 2625lm 3000K CRI 95 COB

Textured White-Blanco texturado R411720B

Textured Black-Negro texturado R411720N

4 PISTAS
4 WIRE TRACKLIGHT

BUDELLI Spot for Track/Foco para carril GU10



Aluminium-Aluminio

4116/5 1xGU10 LED



Textured White-Blanco texturado R41161B

Textured Black-Negro texturado R41161N

Bulb not included
Bombilla no incluida4 PISTAS
4 WIRE TRACKLIGHT

NUI

Wall



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado


Built in Driver
Driver Integrado

4115/B1  **LED 5W 400lm 3200K CRI>80** PCB 

R4115B10B

 Surface
Superficie

Wall & Ceiling



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado


Built in Driver
Driver Integrado

4115/R3  **LED 15W 1200lm 3200K CRI>80** PCB 

R4115R30B

 Surface
Superficie

Ceiling



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado

Built in Driver
Driver Integrado

4115/P3  **LED 15W 1200lm 3200K CRI>80** PCB 

R4115P30B

 Surface
Superficie

SAWA Surface



Metal-Metal
Textured White-Blanco Texturado

3440/26 LED 10W 1350lm 3000K CRI>80 COB

ON-OFF TRIAC DALI

P344010B P344010BDT P344010BDP




Surface
Superficie




Tilting & rotating
Basculante y rotatorio



88.4°



SAWA Surface



Metal-Metal
Textured White-Blanco Texturado

16/3439 LED 5W 675lm 3000K CRI>80 COB

ON-OFF DALI

A343910B A343910BDP





Surface
Superficie



Tilting & rotating
Basculante y rotatorio




90.6°



APEX Surface



APEX Surface



Metal-Metal

CREE

OPTIONAL
DIMMABLE3412/10  LED 13W 891lm 3000K CRI>80 COB 


	ON-OFF	TRIAC
Textured White-Blanco Texturado	3000K P341210B	P341210BDT
	4000K P341211B	P341211BDT
Textured Black-Negro Texturado	3000K P341210N	P341210NDT

 Surface
Superficie

 Tilting & rotating
Basculante y rotatorio

 38°

APEX Recessed



Metal-Metal

Textured White-Blanco Texturado

CREE

OPTIONAL
DIMMABLE3538/10  LED 13W 891lm 3000K CRI>80 COB 

ON-OFF	TRIAC	DALI/PUSH
P353810B	P353810BDT	P353810BDP


 Recessed
Empotrable

 Tilting & rotating
Basculante y rotatorio

 38°

 Cutting hole
Agujero corte Ø 90 mm.

APEX Recessed



Metal-Metal

3688  1xGU10 LED

Textured White-Blanco Texturado P36881B


Textured Black-Negro Texturado P36881N

 Recessed
Empotrable

 Cutting hole
Agujero corte Ø 100mm.

 Bulb not included
Bombilla no incluida

STUDIO Surface

**EPISTAR**

Aluminium/Acrylic-Aluminio/Acrílico


3235/9 LED 8W 755lm 3200K CRI>80 COB

White-Blanco P32350B

Black-Negro P32350N



STUDIO Surface

**EPISTAR**

Aluminium/Acrylic-Aluminio/Acrílico

3235/12 LED 12W 1118lm 3200K CRI>80 COB

ON-OFF

TRIAC

White-Blanco P32351B


P32351BDT

Black-Negro P32351N

P32351NDT



ATREZZO Surface

**EPISTAR**

Aluminium/Acrylic-Aluminio/Acrílico


3251/9 LED 8W 755lm 3200K CRI>80 COB

White-Blanco P32510B

Black-Negro P32510N



ATREZZO Surface

**EPISTAR**

Aluminium/Acrylic-Aluminio/Acrílico

3251/12 LED 12W 1118lm 3200K CRI>80 COB

ON-OFF

TRIAC

White-Blanco P32511B


P32511BDT

Black-Negro P32511N

P32511NDT



CARRE Surface



Aluminium-Aluminio
Textured White-Blanco texturado

3762/10  **1xGU10 LED**

P376210B


 Surface
Superficie

 Tilting
Basculante

 30°

Bulb not included
Bombilla no incluida

SIMA Surface



Aluminium-Aluminio
Textured White-Blanco texturado

3763/10  **1xGU10 LED**

P376310B

 Surface
Superficie


 Tilting
Basculante

 30°

Bulb not included
Bombilla no incluida



SOUL Surface



Aluminium-Aluminio

3792/8  **1xGU10 LED**

Textured White-Blanco Texturado P37920B

Textured White/Satin Gold-Blanco Texturado-Oro Satinado P37920BOS

Textured Black-Negro Texturado P37920N

Textured Black/Satin Gold-Negro Texturado-Oro Satinado P37920NOS



 Surface
SuperficieBulb not included
Bombilla no incluida

SOHO Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured White-Blanco Texturado

3542/10		LED 10W 900lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354210B		P354210BDT	P354210BDP	
3542/20		LED 20W 1800lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354220B		P354220BDT	P354220BDP	




CLEVER Surface




Aluminium/Acrylic-Aluminio/Acrílico
Textured White-Blanco Texturado

3541/9		LED 8W 640lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354110B		P354110BDT	P354110BDP	
3541/12		LED 12W 900lm 3200K CRI>80	PCB	
ON-OFF		TRIAC	DALI/PUSH	
P354120B		P354120BDT	P354120BDP	



NEW Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3722/12  LED 8W 640lm 3200K CRI>80 PCB 

P372210B



YES Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3723/12  LED 8W 640lm 3200K CRI>80 PCB 

P372310B



DEKA Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3431/12  LED 8W 640lm 3200K CRI>80 PCB 

P343110B



KAYU Surface



Aluminium/Acrylic-Aluminio/Acrílico
Textured white-Blanco texturado




3430/12  LED 8W 640lm 3200K CRI>80 PCB 

P343010B



VANDUO Surface



Metal/Glass-Metal/Cristal

3467 IP54**1xGU10 LED**

Textured white-Blanco texturado

P34671B

Chrome-Cromo

P34671C

Satin Nickel-Níquel Satinado


P34671NS

Surface
Superficie

Max. 56 mm

Bulb not included
Bombilla no incluida

BRANCO Surface



Metal/Glass-Metal/Cristal

3468 IP54**1xGU10 LED**

Textured white-Blanco texturado

P34681B

Chrome-Cromo

P34681C

Satin Nickel-Níquel Satinado


P34681NS

Surface
Superficie

Max. 56 mm

Bulb not included
Bombilla no incluida

ARKO Surface



Metal-Metal

3441**LED 5W 450lm 3000K CRI>80** COB

Textured white-Blanco texturado


P344110B

Textured black-Negro texturado

P344110N

Surface
Superficie


LAMBDA Surface

Plaster/Escayola
White-Blanco**3405/9**  **1xGU10 LED**

P34051B

Surface
SuperficieBulb not included
Bombilla no incluida


DSETA Surface

Plaster/Escayola
White-Blanco**3406/7**  **1xGU10 LED**

P34061B

Surface
SuperficieBulb not included
Bombilla no incluida


VANIA Surface

Plaster/Escayola
White-Blanco**3358/9**  **1xGU10 LED**

P33581B

Surface
SuperficieBulb not included
Bombilla no incluida

VANIA Surface

Plaster/Escayola
White-Blanco**3358/13**  **1xGU10 LED**

P33582B

Surface
SuperficieBulb not included
Bombilla no incluida


ARA Recessed



CEMENT-CEMENTO



PLASTER-ESCAYOLA



Plaster-Escayola
Cement-Cemento

3750/10



1xGU10 LED

White-Blanco

P37501B

Beige-Beige

P37501BE

Recessed
Empotrable


Cutting hole
Agujero corte
Ø 90 mm.

Bulb not included
Bombilla no incluida

DELTA Recessed



Tilting
Basculante



Plaster/Escayola
White-Blanco


3410/15  **1xGU10 LED**

P34101B


 Recessed Empotrable  Cutting hole Agujero corte  Bulb not included Bombilla no incluida Ø160mm.



EPSILON Recessed



Tilting
Basculante



Plaster/Escayola
White-Blanco


3411/15  **1xGU10 LED**

P34111B

 Recessed Empotrable  Cutting hole Agujero corte  Bulb not included Bombilla no incluida Ø160 mm



YOTA Recessed



Plaster/Escayola
White-Blanco


3408/13  **1xGU10 LED**

P34081B

 Recessed Empotrable  Cutting hole Agujero corte  Bulb not included Bombilla no incluida Ø133 mm.



GAMMA Recessed



Plaster/Escayola
White-Blanco


3409/12  **1xGU10 LED**

P34091B

 Recessed Empotrable  Cutting hole Agujero corte  Bulb not included Bombilla no incluida Ø123 mm



POINT Recessed



Plaster/Escayola
White-Blanco

Driver Included
Driver Incluido

CREE

3785/6 **LED 2W 165lm 3000K CRI>80** PCB

E378510B


Recessed
Empotrable
Replaceable LED
LED reemplazable

Cutting hole
Agujero corte

$\varnothing 63\text{mm}$



THRILLER Recessed



Plaster-Escayola
White-Blanco

Driver Included
Driver Incluido

CREE

16/3784 LED 2W 165lm 3000K CRI>80 PCB



E378410B

Recessed
Empotrable
Replaceable LED
LED reemplazable

Cutting hole
Agujero corte



PAUL Recessed



Included-Incluido

Aluminium-Aluminio
White-Blanco

Driver Included
Driver Incluido

SAMSUNG

16/3578 LED 3W 290lm 3200K CRI>80 PCB



A357810B

Recessed
Empotrable

Cutting hole
Agujero corte



EDGAR Recessed



Included-Incluido

Aluminium-Aluminio
White-Blanco

Driver Included
Driver Incluido

SAMSUNG



16/3577 LED 3W 290lm 3200K CRI>80 PCB

A357710B

Recessed
Empotrable

Cutting hole
Agujero corte





MIURA Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado

Driver Included
Driver Incluido




CREE

16/3765 **LED 3W 245lm 3000K CRI>80** PCB

E376510B

Recessed
Empotrable

Cutting hole $\varnothing$ 44 mm.
Agujero corte



PRADO Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado

Driver Included
Driver Incluido



CREE

16/3766 **LED 3W 245lm 3000K CRI>80** PCB

E376610B

Recessed
Empotrable

Cutting hole $\varnothing$ 44 mm.
Agujero corte



REGAL Recessed



Aluminium-Aluminio
Textured white-Blanco texturado

Driver Included
Driver Incluido

CREE



16/3767 IP54 **LED 3W 245lm 3000K CRI>80** PCB

E376710B

Recessed
Empotrable

Cutting hole $\varnothing$ 73 mm
Agujero corte

TANGO



Aluminium-Aluminio
Textured black-Negro Texturado



3768/111  LED 30W+15W 2700lm+1300lm 3000K CRI 90 PCB 

C376810N



OSRAM

TANGO Recessed



Aluminium-Aluminio
White/Black-Blanco/Negro

Driver Included
Driver Incluido

OSRAM

3768/15  **LED 10W 900lm 3000K CRI 90**

PCB 

E376810B

 Recessed
Empotrable



Cutting hole  37 mm
Agujero corte 140 mm

Aluminium-Aluminio
White/Black-Blanco/Negro

Driver Included
Driver Incluido

OSRAM

3768/28  **LED 20W 1800lm 3000K CRI 90**

PCB 


E376820B

 Recessed
Empotrable



Cutting hole  37 mm
Agujero corte 273 mm

ALEXIA Recessed



Metal/Acrylic-Metal/Acrílico
White/Sanded-Blanco/Arenado

Driver Included
Driver Incluido




3690/15 IP43 **LED 10W 800lm 3000K CRI>80** PCB

P369010B

Recessed
Empotrable

Cutting hole 35 mm
Agujero corte 140 mm



Metal/Acrylic-Metal/Acrílico
White/Sanded-Blanco/Arenado

Driver Included
Driver Incluido




3690/28 IP43 **LED 20W 1600lm 3000K CRI>80** PCB

P369020B

Recessed
Empotrable

Cutting hole 35 mm
Agujero corte 270 mm

ANTEA Recessed



Aluminium-Aluminio

Textured White-Blanco Texturado

3788

1xGU10 LED


E37880B

 Recessed
Empotrable

 Cutting hole
Agujero corte
Ø 65mm.

 Bulb not included
Bombilla no incluida

DORO Recessed



Aluminium-Aluminio

Textured White-Blanco Texturado

3789

1xGU10 LED


E37890B

 Recessed
Empotrable

 Cutting hole
Agujero corte
Ø 65mm.

 Bulb not included
Bombilla no incluida

LOU Recessed



Aluminium-Aluminio

Textured White-Blanco Texturado

3790

1xGU10 LED


E37900B

 Recessed
Empotrable

 Cutting hole
Agujero corte
Ø 65mm.

 Bulb not included
Bombilla no incluida

SAN Recessed



Metal-Metal
White-Blanco

3679/1  **1xGU10 LED**


P36791B

 Recessed
Empotrable

Cutting hole
Agujero corte
90 mm
90 mm

Bulb not included
Bombilla no incluida

SAN Recessed



Metal-Metal
White-Blanco

3679/2  **2xGU10 LED**


P36792B

 Recessed
Empotrable

Cutting hole
Agujero corte
90 mm
170 mm

Bulb not included
Bombilla no incluida

NORK Recessed



Metal-Metal
White-Blanco

3677/9 IP64  **1xGU10 LED**

P36771B


 Recessed
Empotrable

Cutting hole
Agujero corte
Ø 75 mm.

IP20
IP64

Bulb not included
Bombilla no incluida

VELT Recessed



Aluminium-Aluminio
White-Blanco

3678/9 IP64  **1xGU10 LED**

P36781B


 Recessed
Empotrable

Cutting hole
Agujero corte
Ø 72 mm.


IP20
IP64

Bulb not included
Bombilla no incluida

BIP Recessed



ANTI DESLUMBRAMIENTO
ANTI GLARE



Metal/Glass-Metal/Cristal

SHARP

3680 IP64 **LED 10W 750lm 3000K CRI>80**

White-Blanco P36800B



Chrome-Cromo P36800C

Satin Nickel-Níquel Satinado P36800NS

Recessed
Empotrable

Cutting hole
Agujero corte Ø 68 mm.

FOTSY Recessed



Metal/Glass-Metal/Cristal

3555 IP54 **1xGU10 LED**

Chrome-Cromo P35551C



Satin Nickel-Níquel Satinado P35551NS

Recessed
Empotrable

Cutting hole
Agujero corte Ø 70 mm.

Bulb not included
Bombilla no incluida

HERA Recessed



Metal/Glass-Metal/Cristal

3554 IP54 **1xGU10 LED**

White-Blanco P35541B

Chrome-Cromo P35541C


Satin Nickel-Níquel Satinado P35541NS

Recessed
Empotrable

Cutting hole
Agujero corte Ø 70 mm.

Bulb not included
Bombilla no incluida

WAKA Recessed



Aluminium-Aluminio



Textured white-Blanco texturado

3725/10  **1xGU10 LED**

P37251B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 $\varnothing$ 70 mm.

WAKA Recessed



Aluminium-Aluminio



Textured white-Blanco texturado

3725/20  **2xGU10 LED**

P37252B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 90 mm
185 mm

KUBA Recessed



Aluminium-Aluminio


Textured white-Blanco texturado

3726/10  **1xGU10 LED**

P37261B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 $\varnothing$ 70 mm.

KUBA Recessed



Aluminium-Aluminio

Textured white-Blanco texturado


3726/20  **2xGU10 LED**

P37262B

Recessed
EmpotrableCutting hole
Agujero corteBulb not included
Bombilla no incluida
 90 mm
185 mm




WINKA Recessed




Aluminium-Aluminio	
Textured white-Blanco texturado	
3557/8	1xGU10 LED
P35571B	
 Recessed Empotrable	 Cutting hole Agujero corte Ø 70 mm.
Bulb not included Bombilla no incluida	

EINAR Recessed



Aluminium-Aluminio	
Textured white-Blanco texturado	
3558/8	1xGU10 LED
P35581B	
 Recessed Empotrable	 Cutting hole Agujero corte Ø 70 mm.
Bulb not included Bombilla no incluida	

KIDAL Recessed



Aluminio-Aluminio
Textured White-Blanco Texturado

CREE

3771/8 **LED 7W 600lm CRI>80**


	ON-OFF	TRIAC	DALI/PUSH
3000K	E377100B	E377100BDT	E377100BDP
4000K	E377101B	E377101BDT	E377101BDP

Recessed
Empotrable



Cutting hole
Agujero corte

Ø 75 mm.



Aluminio-Aluminio
Textured White-Blanco Texturado

CREE

3771/10 **LED 12W 1080lm CRI>80**

	ON-OFF	TRIAC	DALI/PUSH
3000K	E377110B	E377110BDT	E377110BDP
4000K	E377111B	E377111BDT	E377111BDP

Recessed
Empotrable



Cutting hole
Agujero corte Ø 90 mm.

SHIRO Recessed




STEP 1



STEP 2



It does not need specific installation.
It works with normal switch
No necesita instalación específica.
Funciona con interruptor normal



Acrylic-Acrílico
White-Blanco



3427/16 LED 13+2W 1050lm 4000K CRI>80 PCB

P342711B



Cutting hole Ø 140 mm.



KIKI Recessed



Acrylic-Acrílico
White-Blanco



3426/16 LED 15W 1050lm 4000K CRI>80 PCB


P342611B



Cutting hole Ø 140 mm.



KIKI Recessed



Acrylic-Acrílico
White-Blanco



3426/22 LED 30W 2100lm 4000K CRI>80 PCB

P342621B




Cutting hole Ø 210 mm.





IRO Recessed



Aluminium-Aluminio
Textured White-Blanco Texturado



3533/10  **LED 6W 260lm CRI>80** PCB 

3200K P353310B

4200K P353311B

 Recessed
Empotrable

Cutting hole  Ø 95 mm.



Aluminium-Aluminio
Textured White-Blanco Texturado


3533/23  **LED 24W 1244lm CRI>80** PCB 

3200K P353330B




4200K P353331B

 Recessed
Empotrable

Cutting hole  Ø 205 mm.



BIOS Recessed



It does not need specific installation.
It works with normal switch
No necesita instalación específica.
Funciona con interruptor normal

Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado

3288/12 **LED 7+3W 856lm CRI>80** PCB +

3200K P328810BCD

4200K P32881BCD

Recessed
Empotrable

Cutting hole Ø 105 mm.

IP20
IP23

Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado

3288/18 **LED 15+7W 1693lm CRI>80** PCB +

3200K P328820BCD




4200K P32882BCD

Recessed
Empotrable

Cutting hole Ø 160 mm.

IP20
IP23

REXA Recessed



It does not need specific installation.
It works with normal switch
No necesita instalación específica.
Funciona con interruptor normal

Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado



3289/12 **LED 7+3W 856lm CRI>80** PCB +

3200K P328910BCD

4200K P32891BCD

Recessed
Empotrable

Cutting hole Ø 107 mm.

IP20
IP23

Aluminium/Methacrylate-Aluminio/Metacrilato
Textured white-Blanco texturado



3289/18 **LED 15+7W 1693lm CRI>80** PCB +

3200K P328920BCD

4200K P32892BCD


Recessed
Empotrable

Cutting hole Ø 160 mm.

IP20
IP23


KORE Surface

EXTRA FLAT EXTRA PLANO

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco**EPISTAR****3435/9**  **LED 6W 420lm CRI>80** PCB 


3000K P343510B

4000K P343511B

 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco**EPISTAR****3435/19**  **LED 18W 1450lm CRI>80** PCB 


3000K P343530B

4000K P343531B

 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco**EPISTAR****3435/14**  **LED 12W 950lm CRI>80** PCB 

3000K P343520B

4000K P343521B

 Surface
SuperficieAluminium/Acrylic-Aluminio/Acrílico
White-Blanco**EPISTAR****3435/28**  **LED 24W 1930lm CRI>80** PCB 



3000K P343540B

4000K P343541B

 Surface
Superficie**NEW SIZE**

EXTRA FLAT EXTRA PLANO

ROKU Surface



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



EPISTAR

3436/9 **LED 6W 420lm CRI>80** PCB

3000K P343610B

4000K P343611B

Surface
Superficie



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



EPISTAR

3436/14 **LED 12W 950lm CRI>80** PCB

3000K P343620B

4000K P343621B

Surface
Superficie



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



EPISTAR

3436/19 **LED 18W 1450lm CRI>80** PCB

3000K P343630B

4000K P343631B

Surface
Superficie



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

EPISTAR

3436/28 **LED 24W 1930lm CRI>80** PCB

3000K P343640B


4000K P343641B

Surface
Superficie

NEW SIZE

NEW
SIZE

SKY SPOT Surface




Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



3233/12 **LED 8W 400lm CRI>80 4200K** PCB

P32330B



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco




3233/18 **LED 15W 1050lm CRI>80** PCB

3200K

P323310B

4200K

P32331B



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco




3233/22 **LED 22W 1560lm CRI>80** PCB

3200K

P323320B

4200K

P32332B



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco



3233/30 **LED 30W 2400lm CRI>80** PCB

3200K

P32334B

4200K

P323341B



SKY BOX Surface



Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

3234/12 LED 8W 400lm CRI>80 PCB []

4200K P32340B

Surface
Superficie

Ø 120

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

3234/18 LED 15W 1050lm CRI>80 PCB []

3200K P323410B
4200K P32341B

Surface
Superficie

Ø 180

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

3234/22 LED 22W 1560lm CRI>80 PCB []

3200K P323420B
4200K P32342B

Surface
Superficie

Ø 220

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

3234/30 LED 30W 2400lm CRI>80 PCB []

3200K P32344B
4200K P323441B

Surface
Superficie

Ø 300

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

3234/40 LED 36W 2900lm CRI>80 PCB []

3200K P323450B
4200K P323451B

Surface
Superficie

Ø 400

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco

3234/50 LED 36W 3123lm CRI>80 PCB []

3200K P323460B
4200K P323461B

Surface
Superficie

Ø 500

Aluminium/Acrylic-Aluminio/Acrílico
White-Blanco


3234/60 LED 48W 4272lm CRI>80 PCB []

3200K P323470B
4200K P323471B

Surface
Superficie

Ø 600

DONO Surface



Aluminium/Acrylic-Aluminio/Acrílico

3420/90 LED 39.6W 3360lm 4200K CRI>80 PCB [] [] [] [] [] []

	ON-OFF	DALI/PUSH
Textured White-Blanco Texturado	P342011B	P342011BDP
Textured Silver-Plata Texturado	P342011PL	P342011PLDP

 Surface
Superficie




Aluminium/Acrylic-Aluminio/Acrílico

3420/120 LED 52.8W 4480lm 4200K CRI>80 PCB [] [] [] [] [] []

	ON-OFF	DALI/PUSH
Textured White-Blanco Texturado	P342021B	P342021BDP
Textured Silver-Plata Texturado	P342021PL	P342021PLDP

 Surface
Superficie



MARCO Recessed

Aluminium/Acrylic-Aluminio/Acrílico
Textured White-Blanco Texturado**3585/60** LED 42W 3200lm 4500K CRI>80 PCB [] [] [] [] [] []

P35851B

 Recessed
Encastrable


YON Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3291/18 **LED 18W 1260lm CRI>80** PCB


3000K P329110B

4000K P32911B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

YON Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3291/22 **LED 22W 1560lm CRI>80** PCB


3000K P329120B

4000K P32912B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

NIGA Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3292/18 **LED 18W 1260lm CRI>80** PCB

3000K P329210B

4000K P32921B



Recessed
Empotrable


Cutting hole
Agujero corte



IP20

IP23

NIGA Recessed



Aluminium/Methacrylate-Aluminio/Metacrilato
White-Blanco



3292/22 **LED 22W 1560lm CRI>80** PCB


3000K P329220B

4000K P32922B



Recessed
Empotrable

Cutting hole
Agujero corte



IP20

IP23

CLAUDIA



Recessed & Surface

For different cutting holes
Para diferentes agujeros de corte


Arylic-Acrylic
White-Blanco



3743/22 LED 18W 1500lm 3000K CRI>80 PCB

P374320B

Cutting hole Ø Max.165 mm. Min. 55 mm.
Agujero corte





Arylic-Acrylic
White-Blanco




3743/29 LED 24W 2000lm 3000K CRI>80 PCB

P374330B

Cutting hole Ø Max.240 mm. Min. 55 mm.
Agujero corte



CELIA



Recessed & Surface

For different cutting holes
Para diferentes agujeros de corte



Arylic-Acrylic
White-Blanco



3744/22 LED 18W 1500lm 3000K CRI>80 PCB

P374420B

Cutting hole Max.165 mm. Min. 55mm.
Agujero corte





Arylic-Acrylic
White-Blanco



3744/29 LED 24W 2000lm 3000K CRI>80 PCB

P374430B

Cutting hole Max.240 mm. Min. 55 mm.
Agujero corte



ACB

**ILUMINACIÓN
BAÑO**

BATH LIGHTING

TEMPO

By Nacho Timón




Tempo IP44

Metal-Metal
Chrome-Cromo


16/3776 ☐ LED 12W 1140lm 3000K CRI>80 PCB ☐

A377610C

☒ Battery AA included
Pila AA incluida





LOIRA

**Loira IP44**Aluminium/Acrylic-Aluminio/Acrílico
Opal/Chrome-Opal/Cromo16/3592  **LED 20W 1800lm 4000K CRI>80** PCB 


A359211C

GARONA

**Garona IP44**Aluminium/Acrylic-Aluminio/Acrílico
Opal/Blanco-Opal/Blanco16/3593  **LED 20W 1800lm 4000K CRI>80** PCB 

A359311B

NELLY

**Nelly IP44**Aluminium/Acrylic-Aluminio/Acrílico
Chrome-Cromo16/3175-60  **T5-1x24W** 

A31751PL

16/3175-90  **T5-1x39W** 

A31753PL

Tube included-Tubo incluido

URA



Ura IP44

Metal/Methacrylate-Metal/Metacrilato
Opal/Chrome-Opal/Cromo

16/3298-60 ☐ LED 19W 1940lm 4000K CRI>80 PCB []

A329821C

16/3298-90 ☐ LED 25W 2553lm 4000K CRI>80 PCB []

A329831C





BOX

**Box IP44**

Aluminium/Methacrylate-Aluminio/Metacrilato

Silver-Plata


16/3200-60  LED 9W 685lm 4000K CRI>80 PCB 

A32001C

16/3200-90  LED 15W 1100lm 4000K CRI>80 PCB 

A320031C

SAMBA

**Samba IP44**

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

4110/B1  **LED 5W 525lm CRI>80** 

3200K R4110B10C

4200K R4110B11C

4110/R3  **LED 15W 1575lm CRI>80** 




3200K R4110R30C

4200K R4110R31C


4110/R4  **LED 20W 2100lm CRI>80** 

3200K R4110R40C

4200K R4110R41C



SARA

**Sara IP44**

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

4087/B1		LED 3W 330lm CRI>80	PCB 
3200K	R487B1C		
4200K	R487B11C		
4087/R2		LED 6W 660lm CRI>80	PCB 
3200K	R487R2C		
4200K	R487R21C		
4087/R3		LED 9W 990lm CRI>80	PCB 
3200K	R487R3C		
4200K	R487R31C		

 Tilting & rotating
Basculante y rotatorio

COPE

**Cope IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo

4034/B1  **LED 3W 450lm CRI>80** PCB 

3200K R434B12C

4200K R434B11C

4034/R3  **LED 9W 1350lm CRI>80** PCB 


3200K R434R32C

4200K R434R31C


4034/R4  **LED 12W 1800lm CRI>80** PCB 

3200K R434R42C

4200K R434R41C



LUX

**Lux IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo

4089/B1  **LED 3W 330lm 4200K CRI>80** PCB 




R489B1C

4089/R3  **LED 9W 990lm 4200K CRI>80** PCB 

R489R3C

4089/R4  **LED 12W 1320lm 4200K CRI>80** PCB 

R489R4C



SILVIA

**Silvia IP44**

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

16/3616  **LED 12W 1000lm 4200K CRI>80** PCB 

A36161C

DUSTIN



Installation Kit includes: wood-furniture & mirror clip fitting
El kit de instalación incluye: herraje para marco o mueble y pinza para espejo

**Dustin IP44**

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo

BUILT IN DRIVER
DRIVER INTEGRADO

16/3561-30 LED 6W 500lm 4200K CRI>80 PCB


A356101C

16/3561-50 LED 10W 840lm 4200K CRI>80 PCB

A356111C

16/3561-80 LED 15W 1300lm 4200K CRI>80 PCB

A356121C



ARES



Installation Kit includes: wood-furniture & mirror clip fitting
El kit de instalación incluye: herraje para marco o mueble y pinza para espejo

**Ares IP44**

Aluminium/Methacrylate-Aluminio/Metacrilato
Chrome-Cromo





BUILT IN DRIVER
DRIVER INTEGRADO

16/3559-31 LED 6W 500lm 4000K CRI>80 PCB

A355911CTP

16/3559-53 LED 10W 840lm 4000K CRI>80 PCB


A355931CTP



ALIENA



Installation Kit includes: wood-furniture & mirror clip fitting
El kit de instalación incluye: herraje para marco o mueble y pinza para espejo

**Aliena IP44**

Aluminium/Acrylic-Aluminio/Acrílico

Chrome-Cromo

16/3527-30  LED 5W 450lm 4000K CRI>80 PCB 

A352711C

16/3527-50  LED 8W 600lm 4000K CRI>80 PCB 

A352721C



CASIO

Chrome
CromoSatin nickel
Níquel satinadoWhite
Blanco**Casio IP44**

Metal/Glass-Metal/Cristal

16/13  2xE27

Chrome/Opal -Cromo/Opal A16130CR

Satin nickel/Opal-Níquel sat./Opal A16130NM

White/Opal-Blanco/Opal A16130B

16/13  T5 1x24W

Chrome/Opal -Cromo/Opal A16132CR

Satin nickel/Opal-Níquel sat./Opal A16132NM

White/Opal-Blanco/Opal A16132B

Casio IP44

Metal/Glass-Metal/Cristal

16/10  2xE27

Chrome/Opal -Cromo/Opal A16100C

Satin nickel/Opal-Níquel sat./Opal A16100NM

White/Opal-Blanco/Opal A16100B

Casio

Metal/Glass-Metal/Cristal

16/50  1xE27

Chrome/Opal -Cromo/Opal A16501C

Satin nickel/Opal-Níquel sat./Opal A16501NM

White/Opal-Blanco/Opal A16501B

16/50 IP44  1xE27

Chrome/Opal -Cromo/Opal A16501CIP


Satin nickel/Opal-Níquel sat./Opal A16501NMIP

White/Opal-Blanco/Opal A16501BIP

FLOW



FLOW

**Flow IP44**

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo


16/3672-45  LED 10W 800lm 4000K CRI>80 PCB 

A367211C

16/3672-66  LED 15W 1200lm 4000K CRI>80 PCB 

A367221C

NERO



Nero IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/3311  LED 4W 205lm 3200K CRI>80 PCB 


A33110C

Kit installation included: wood fitting-furniture & mirror clip

El kit de instalación incluye: herraje para marco o mueble y pinza para espejo



YAKU



Yaku IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/3310  LED 5W 190lm 4200K CRI>80 PCB 

A33101C



BIMBA



Bimba IP44

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo



16/3309  LED 3W 250lm 4200K CRI>80 PCB 

A33091C



TUBUS

By Nacho Timón



Tubus IP44

Metal-Metal
Chrome-Cromo

16/3801  LED 6W 600lm 3000K CRI>80 PCB 

A380110CDER

A380110CIZQ

ADELA

**Adela IP44**


Acrylic/Metal-Acrylic/Metal
 Chrome/Arenado-Cromo/Sanded

16/3794-37  **LED 10W 800lm 3000K CRI>80** PCB 


A379400C

16/3794-67  **LED 19W 1605lm 3000K CRI>80** PCB 

A379410C



ILMA

**Ilma IP44**

Metal-Metal
Chrome-Cromo


16/3184-38  **LED 12W 1320lm 3200K CRI>80** PCB 

A31841C

16/3184-74  **LED 24W 2640lm 3200K CRI>80** PCB 

A31842C

BORA

**Bora IP44**

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo






16/3269-22  **LED 5.5W 475lm 4200K CRI>80** PCB 

A32691C

16/3269-40  **LED 11.5W 1020lm 4200K CRI>80** PCB 

A32692C

AQUA

**Aqua IP44**Metal-Metal
Chrome-Croma**16/3183-30**  **LED 11W 1210lm CRI>80** PCB 

3200K A318310C

4500K A318311C

16/3183-42  **LED 19W 1820lm CRI>80** PCB 



3200K A318320C

4500K A318321C

16/3183-53  **LED 25W 2415lm CRI>80** PCB 

3200K A318330C

4500K A318331C

**Aqua IP44**Metal-Metal
Antique Brass-Cuero**16/3183-30**  **LED 8W 848lm 3200K CRI>80** PCB 

A31831U


16/3183-53  **LED 16W 1636lm 3200K CRI>80** PCB 

A31833U

AQUA



YEI

**Yei IP44**Metal-Metal
Chrome-Cromo16/3391-35  LED 8W 760lm 3200K CRI>80 PCB 

A33911C

16/3391-50  LED 12W 1140lm 3200K CRI>80 PCB 


A33912C

16/3391-65  LED 16W 1520lm 3200K CRI>80 PCB 

A33913C



FRANK


**Frank IP44**Metal-Metal
Chrome-Cromo16/3572-51  LED 8W 750lm 3200K CRI>80 PCB 

A357220C

16/3572-69  LED 12W 1120lm 3200K CRI>80 PCB 

A357230C

ABBI
By Nacho Timón




Abbi IP44

Metal/Acrylic-Metal/Acrílico
Chrome/Opal-Cromo/Opal

16/3800 ☐ LED 20W 1600lm 3000K CRI>80 PCB ☐

A380010C

WAVE



Wave IP44

Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo


16/3621-54  LED 16W 1120lm 4000K CRI>80 PCB 

A362111C





GEAL

**Geal IP44**Metal/Double layer glass-Metal/Cristal doble capa
Opal-Opal16/627  1xG9


A166271OP

16/627  LED 3W 190lm 4200K CRI>80 PCB 

A166271OPL




BILL

**Bill IP44**Metal/Double layer glass-Metal/Cristal doble capa
Chrome/Opal-Cromo/Opal4092/B1  1xG9

R492B1C




JAL

**Jal IP44**Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo16/3296  LED 3.3W 315lm 4200K CRI>80 PCB 

A32961C

CINQUENTAS

By Nacho Timón



Cinquentas IP44


Acrylic/Metal-Acrílico/Metal

Chrome-Croma

16/3798-56  LED 12W 1200lm 3000K CRI>80 PCB 

A379810C

MENORCA

**Menorca IP44**

Metal-Metal

16/3730-45  **LED 12W 1480lm 4000K CRI>80** PCB 


Textured White-Blanco Texturado A373021B

Textured Black-Negro Texturado A373021N

Copper-Cobre A373021CU

Antique Brass-Cuero A373021U

ALDO

**Aldo IP44**

Metal/Acrylic-Metal/Acrílico

Chrome-Cromo

16/3432-32  **LED 12W 775lm CRI>80** PCB 

3200K A343210C

4200K A343211C

16/3432-52  **LED 20W 1270lm CRI>80** PCB 

3200K A343220C

4200K A343221C

16/3432-82  **LED 30W 2100lm CRI>80** PCB 


3200K A343230C

4200K A343231C





NEUS



Neus

Metal/Methacrylate-Metal/Metacrilato
Textured white-Blanco texturado

16/3017-20  **LED 10.5W 1100lm 3200K CRI>80** PCB 


A301710B

16/3017-36  **LED 21W 2200lm 3200K CRI>80** PCB 

A301730B



FANNY




Fanny IP44

Metal-Metal
Textured white-Blanco texturado

4101/R4  **LED 12W 1320lm CRI>80 4200K** PCB 

R4101R4B

IZTAC



Iztac IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/766  T5-1x24W 
A167661C

Tube included-Tubo incluido



ORDES



Ordes IP44


Metal/Methacrylate-Metal/Metacrilato

Chrome-Cromo

16/734  LED 6W 900lm 4200K CRI>80 PCB 
A1673422C



MARA



Mara IP44

Metal/Methacrylate-Metal/Metacrilato


Chrome-Cromo

16/764  LED 6W 660lm 4200K CRI>80 PCB 
A167641C





VANILA
By Nacho Timón



Vanila IP44

Metal-Metal
Chrome-Cromo

16/3778 ☐ LED 12W 1140lm 3000K CRI>80 PCB ☐

A377810C

SOFÍA




Sofía IP44

Metal/Methacrylate-Metal/Metacrilato
Chrome-Cromo


16/3663-48  LED 8W 750lm 4200K CRI>80 PCB 
A366311C

16/3663-68  LED 11W 1030lm 4200K CRI>80 PCB 
A366321C



DOS

By Nacho Timón



Dos IP44

Metal-Metal
Chrome-Cromo

16/3777  LED 12W+8W 1140lm+760lm 3000K CRI>80 PCB 

A377710C


SQUARE





MADISON

AVAILABLE IN 3 VERSIONS: ON-OFF, SENSOR AND EMERGENCY
DISPONIBLE EN 3 VERSIONES: ON-OFF, SENSOR Y EMERGENCIA



Madison IP54

Acrylic-Acrílico
White-Blanco

3497/28  **LED 24W 1700lm CRI>80** PCB 

ON-OFF P349713B **3000K 4000K 6500K**

 **SENSOR** P349713BMS **3000K 4000K 6500K**

 **EMERGENCY** P349711BEM **4000K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación


SENSOR



EMERGENCY



SQUARE



Square IP54

Acrylic-Acrílico
White-Blanco

3512/28  **LED 24W 1700lm CRI>80** PCB 

ON-OFF P351213B **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación

LINA

**Lina IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Satin Nickel-Opal/Níquel Satinado

3472/25 **2xE27**

P34722NS

3472/25 **LED 18W 1890lm CRI>80**

2700K P347229NSL

3200K P347220NSL

4200K P347221NSL

3472/30 **2xE27**



P34723NS

3472/30 **LED 24W 2520lm CRI>80**

2700K P347239NSL

3200K P347230NSL

4200K P347231NSL



ESUS

**Esus IP44**

Metal/Double layer glass-Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo

490/24 **2xE27**

P04903OP

490/24 **LED 12W 1100lm CRI>80**

3200K P049030OPL

4200K P049031OPL

490/31 **2xE27**





P04904OP

490/31 **LED 18W 1890lm CRI>80**

2700K P049040OPL

3200K P049040OPL

4200K P049041OPL

**Moon IP44**

Metal/Double layer glass
Metal/Cristal doble capa

969/19 **1xG9**

P09691OP

969/19 **LED 12W 1100lm CRI>80**

3200K P096910OP

4200K P096911OP

969/28 **2xE27**

P09692OP

969/28 **LED 18W 1890lm CRI>80**

2700K P096920OPL

3200K P096920OPL

4200K P096920OPL

969/35 **2xE27**

P09693OP

969/35 **LED 24W 2520lm CRI>80**

2700K P096930OPL

3200K P096930OPL

4200K P096930OPL

969/50 **3xE27**

P09697OP

969/50 **LED 36W 4000lm CRI>80**

2700K P096970OPL


3200K P096970OPL

4200K P096971OPL

MOON



ALB

**Alb IP44**Metal/Double layer glass/Metal/Cristal doble capa
Opal/Chrome-Opal/Cromo**3236/28** **2xE27**

P32362C


3236/28 **LED 18W 1890lm CRI>80** PCB

2700K P323629CL

3200K P323620CL

4200K P32362CL

DINS

**Dins IP44**

Metal/Double layer glass

Metal/Cristal doble capa

395/26 **2xE27**

White-Opal P03952B

Satin nickel-Opal P03952NMS

Níquel satinado-Opal

395/26 **LED 18W 1890lm CRI>80** PCB

White-Opal 2700K P039529BCL

Blanco-Opal 3200K P039520BCL

4200K P03952BCL

Satin nickel-Opal 2700K P039529NSL

Níquel satinado-Opal 3200K P039520NSL

4200K P03952NSL

395/32 **2xE27**

White-Opal P03953B

Satin nickel-Opal P03953NMS

Níquel satinado-Opal

395/32 **LED 24W 2520lm CRI>80** PCB

White 2700K P039539BL

Blanco 3200K P03953BSL

4200K P03953BL

Satin nickel-Opal 2700K P039539NSL

Níquel satinado-Opal 3200K P03953NMSL

4200K P03953NSL

VANDUO

Vanduo IP54



Metal/Glass-Metal/Cristal

3467  **1xGU10 LED**

White-Blanco P34671B

Chrome-Cromo P34671C

Satin Nickel-Níquel Satinado P34671NS

 Surface
Superficie Max. 55,8 mmBulb not included
Bombilla no incluida

BRANCO

Branco IP54


Metal/Glass-Metal/Cristal

3468  **1xGU10 LED**

White-Blanco P34681B

Chrome-Cromo P34681C

Satin Nickel-Níquel Satinado P34681NS

 Surface
Superficie Max. 55,8 mmBulb not included
Bombilla no incluida

HERA

Hera IP54



Metal/Glass-Metal/Cristal

3554  **1xGU10 LED**

White-Blanco P35541B

Chrome-Cromo P35541C

Satin Nickel-Níquel Satinado P35541NS

 Recessed
EmpotrableCutting hole  Ø70 mm.Bulb not included
Bombilla no incluida

FOTSY


Fotsy IP54

Metal/Glass-Metal/Cristal

3555  **1xGU10 LED**


Chrome-Cromo P35551C

Satin Nickel-Níquel Satinado P35551NS



 Recessed
EmpotrableCutting hole  Ø70 mm.Bulb not included
Bombilla no incluida



BIP

ANTI-GLARE
ANTI REFLEJOS

IP 64

Water
resistanceConvenient for painting
Pintar sin desinstalar completamente**Bip IP64**

Metal/Glass-Metal/Cristal

3680  LED 10W 750lm 3000K CRI>80 COB 

White-Blanco

P36800B

Chrome-Cromo

P36800C

Satin Nickel-Niquel Satinado

P36800NS



Empotrable




40°

Cutting hole  Ø 68 mm.
Agujero corte


MIRRORS WITH DIRECT AND INDIRECT LIGHT

ESPEJOS CON LUZ
DIRECTA E INDIRECTA



**CUSTOMISE YOUR MIRROR
ACCORDING TO YOUR NEEDS**
DISEÑA TU ESPEJO SEGÚN
TUS NECESIDADES






Jour IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/429-52 	H720x520x44	⊕ 2xT5 24W	/	/	A1642902PL	80	
	H720x520x30	21W	1809	3000	A1642900LB		
				4000	A1642901LB		
16/429-80 	H700x800x30	21W	1809	3000	A1642910LB		
				4000	A1642911LB		
16/429-110 	H700x1100x30	21W	1809	3000	A1642920LB		
				4000	A1642921LB		

Customise it
Personalízalo
(see pag. 200)



ESTELA

TOUCH
TÁCTIL


Estela IP44 
 Metal/Glass-Metal/Cristal
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9439-80 	H700x800x30	48W	4129	3000	A943910LB	80	
				4000	A943911LB		
16/9439-110 	H700x1100x30	58W	4994	3000	A943920LB		
				4000	A943921LB		

Customise it
 Personalízalo
 [see pag. 200]



MUL

**Mul IP44**

Metal/Glass-Metal/Cristal


White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/300-80 	H770x770x44	⊕ 4xT8 18W	/	/	A163000ES	80	
	H700x800x30	41W	3539	3000	A163000LB		
				4000	A163001LB		
16/300-110 	H700x1100x30	51W	4443	3000	A1630020LB	80	
				4000	A1630021LB		

Customise it
Personalizalo
(see pag. 200)



OLIVIA





Olivia IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9437-80 	H700x800x30	48W	4129	3000	A943710LB	80	
				4000	A943711LB		
16/9437-110 	H700x1100x30	58W	4994	3000	A943720LB		
				4000	A943721LB		

Customise it
Personalízalo
[see pag. 200]



OLTER






Olter IP44 
 Metal/Glass-Metal/Cristal
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9438-80 	H700x800x30	48W+14W	4129+1100	3000	A943810LB	80	
				4000	A943811LB		
16/9438-110 	H700x1100x30	58W+14W	4994+1100	3000	A943820LB		
				4000	A943821LB		

Customise it
 Personalízalo
 (see pag. 200)






Amanzi IP44 
Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3596-65 	H730x650x30	41W	3539	3000	A359600LP	80	
				4000	A359601LP		
16/3596-83 	H730x830x30	48W	4129	3000	A359610LP		
				4000	A359611LP		
16/3596-113 	H730x1130x30	58W	4994	3000	A359620LP		
				4000	A359621LP		

Customise it
Personalízalo
[see pag. 200]



WEEEX



Weex IP44 
 Metal/Glass/Acrylic-Metal/Cristal/Acrílico
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9040-62 	H720x620x44	23W	2005	3000	A90400LZ	80	
				4000	A90401LZ		
16/9040-110 	H720x1100x44	23W	2005	3000	A904020LZ		
				4000	A904021LZ		

Customise it
 Personalízalo
 [see pag. 200]



ELMA

Elma IP44

Metal/Glass-Metal/Cristal

White/Mirror-Blanco/Espejo

TOUCH
TÁCTIL

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9405	H1140x710x44	45W	3932	3000	A940501LP	80	
				4000	A940511LP		



VESI

Vesi IP44

Metal/Glass-Metal/Cristal

White/Mirror-Blanco/Espejo

TOUCH
TÁCTIL

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9304	H1100x670x44	45W	3932	3000	A930411LP	80	
				4000	A930401LP		



ADRIANA

Adriana IP44

Metal/Glass-Metal/Cristal

White/Mirror-Blanco/Espejo

TOUCH
TÁCTIL

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/9406	H1100x670x44	45W	3932	3000	A940601LP	80	
				4000	A940611LP		



Customise it
Personalízalo
[see pag. 200]





PETRA

TOUCH
TÁCTIL

Petra IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3804-64	Ø 640x44	29W	2517	3000	A380410LB	80	
				4000	A380411LB		



MAURO

TOUCH
TÁCTIL

Mauro IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3797-60	Ø 600x44	29W	2517	3000	A379710LB	80	
				4000	A379711LB		



BARI

TOUCH
TÁCTIL

Bari IP44

Metal/Glass-Metal/Cristal
White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3799-60	Ø 600x44	29W	2517	3000	A379910LB	80	
				4000	A379911LB		

Customise it
Personalízalo
(see pag. 200)



HOLLYWOOD



Hollywood IP44 
 Metal/Glass/Acrylic-Metal/Cristal/Acrílico
 White/Mirror-Blanco/Espejo

Ref.	Measures/Medidas	W	Lum	° Kelvin	COD.	CRI	Fixing/Fijaciones
16/3805-80 	H700x800x30	21W	1809	3000	A380510LB	80	
				4000	A380511LB		
16/3805-110 	H700x1100x30	21W	1809	3000	A380520LB		
				4000	A380521LB		



Customise it
 Personalízalo
 [see pag. 200]



BOAN


**Boan IP44**

Metal-Metal

Mirror/Chrome-Espejo/Cromo

16/3252  LED 3W 315lm 4000K CRI>80 PCB 

A32521ES

**Boan IP44**

Metal-Metal

Mirror/Chrome-Espejo/Cromo

16/3252-E  LED 3W 315lm 4000K CRI>80 PCB 

A32521ESCE

With black wire & plug-Con cable negro y enchufe

CUSTOMISE YOUR MIRROR ACCORDING TO YOUR NEEDS CONFIGURA TU ESPEJO SEGÚN TUS NECESIDADES

ANTI-MIST
ANTI VAHOANTI-MIST
ANTI VAHOCUSTOM MADE
MEDIDAS PERSONALIZABLESTOUCH CONTROL
CONTROL TÁCTILAMBIENT LIGHT
LUZ PERIMETRALINTEGRATED MAGNIFYING MIRROR
(WITHOUT LIGHTING)
ESPEJO DE AUMENTO INTEGRADO
(SIN LUZ INTEGRADA)INTEGRATED MAGNIFYING MIRROR
WITH LIGHTING AND TOUCH SWITCH
ESPEJO DE AUMENTO INTEGRADO
CON ILUMINACIÓN Y ENCENDIO TÁCTIL

CUSTOM LIGHTING WINDOWS

VENTANAS ILUMINADAS PERSONALIZABLES

MIRROR FIXATION
FIJACIÓN DEL ESPEJO

INFRARED SENSOR ON/OFF (IR)

Move your hand near the detector and the lamp will turn on, move your hand near the detector the second time and the lamp will turn off. The sensor works at 5cm distance minimum.

SENSOR INFRARROJO ON/OFF (IR)

Para encender, mueva la mano cerca del detector, y para apagar mueva la mano otra vez cerca del detector. El sensor funciona a una distancia máxima de 5cm.

MULTIFUNCTION SCREEN PANTALLA MULTIFUNCIÓN

TOUCH CONTROL BUTTONS
BOTONES CONTROL TÁCTIL

BASIC OPTION OPCIÓN BÁSICA

- TIME / HORA
- TEMP. °C
- DATE / FECHA




AUDIO OPTION OPCIÓN AUDIO

- RADIO
- TEMP. °C
- TIME / HORA
- BLUETOOTH
- INTEGRATED SPEAKERS ALTAVOCES INTEGRADOS



DOWNLOAD THIS CHECKLIST TO CUSTOMISE YOUR MIRROR
DESCARGUE NUESTRA FICHA PARA PERSONALIZAR SU ESPEJO
www.acbiluminacion.com



ACB

FAMILIAS, COLGANTES, PIES Y SOBREMESAS

FAMILIES,
PENDANT LAMPS, TABLE LAMPS
& FLOOR LAMPS

ISIA Recessed





ISIA

Pendant



RECESSED / EMPOTRABLE

Isia

Metal/Acrylic-Metal/Acrílico



3453/40 LED 40W 3660lm CRI>80 PCB []


ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K E345340BDT E345340BDP
 Blanco texturado/Opal 4200K E345341BDT E345341BDP

Textured Black/Opal 3200K E345340NDT E345340NDP
 Negro texturado/Opal 4200K E345341NDT E345341NDP

Technical Gold/Opal 3200K E345340OTDT E345340OTDP
 Oro técnico/Opal 4200K E345341OTDT E345341OTDP

Recessed Empotrable Cutting hole Agujero de corte Ø 400 mm.



Isia

Metal/Acrylic-Metal/Acrílico



3453/60 LED 55W 5250lm CRI>80 PCB []


ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K E345360BDT E345360BDP
 Blanco texturado/Opal 4200K E345361BDT E345361BDP

Textured Black/Opal 3200K E345360NDT E345360NDP
 Negro texturado/Opal 4200K E345361NDT E345361NDP

Technical Gold/Opal 3200K E345360OTDT E345360OTDP
 Oro técnico/Opal 4200K E345361OTDT E345361OTDP

Recessed Empotrable Cutting hole Agujero de corte Ø 600 mm.



SURFACE / SUPERFICIE

Isia

Metal/Acrylic-Metal/Acrílico


3453/40 LED 40W 3660lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345340BDT P345340BDP
 Blanco texturado/Opal 4200K P345341BDT P345341BDP

Textured Black/Opal 3200K P345340NDT P345340NDP
 Negro texturado/Opal 4200K P345341NDT P345341NDP

Technical Gold/Opal 3200K P345340OTDT P345340OTDP
 Oro técnico/Opal 4200K P345341OTDT P345341OTDP



Isia

Metal/Acrylic-Metal/Acrílico


3453/80 LED 88W 8440lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345380BDT P345380BDP
 Blanco texturado/Opal 4200K P345381BDT P345381BDP

Textured Black/Opal 3200K P345380NDT P345380NDP
 Negro texturado/Opal 4200K P345381NDT P345381NDP

Technical Gold/Opal 3200K P345380OTDT P345380OTDP
 Oro técnico/Opal 4200K P345381OTDT P345381OTDP



Isia

Metal/Acrylic-Metal/Acrílico


3453/60 LED 55W 5250lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345360BDT P345360BDP
 Blanco texturado/Opal 4200K P345361BDT P345361BDP

Textured Black/Opal 3200K P345360NDT P345360NDP
 Negro texturado/Opal 4200K P345361NDT P345361NDP

Technical Gold/Opal 3200K P345360OTDT P345360OTDP
 Oro técnico/Opal 4200K P345361OTDT P345361OTDP



Isia

Metal/Acrylic-Metal/Acrílico


3453/100 LED 150W 12300lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K P345390BDT P345390BDP
 Blanco texturado/Opal 4200K P345391BDT P345391BDP

Textured Black/Opal 3200K P345390NDT P345390NDP
 Negro texturado/Opal 4200K P345391NDT P345391NDP

Technical Gold/Opal 3200K P345390OTDT P345390OTDP
 Oro técnico/Opal 4200K P345391OTDT P345391OTDP



PENDANT LAMP / COLGANTE

Isia

Metal/Acrylic-Metal/Acrílico


3453/40 Col. LED 40W 3660lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345340BDT C345340BDP
 Blanco texturado/Opal 4200K C345341BDT C345341BDP

Textured Black/Opal 3200K C345340NDT C345340NDP
 Negro texturado/Opal 4200K C345341NDT C345341NDP

Technical Gold/Opal 3200K C345340OTDT C345340OTDP
 Oro técnico/Opal 4200K C345341OTDT C345341OTDP



Isia

Metal/Acrylic-Metal/Acrílico


3453/80 Col. LED 88W 8440lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345380BDT C345380BDP
 Blanco texturado/Opal 4200K C345381BDT C345381BDP

Textured Black/Opal 3200K C345380NDT C345380NDP
 Negro texturado/Opal 4200K C345381NDT C345381NDP

Technical Gold/Opal 3200K C345380OTDT C345380OTDP
 Oro técnico/Opal 4200K C345381OTDT C345381OTDP



Isia

Metal/Acrylic-Metal/Acrílico


3453/60 Col. LED 55W 5250lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH

Textured White/Opal 3200K C345360BDT C345360BDP
 Blanco texturado/Opal 4200K C345361BDT C345361BDP

Textured Black/Opal 3200K C345360NDT C345360NDP
 Negro texturado/Opal 4200K C345361NDT C345361NDP

Technical Gold/Opal 3200K C345360OTDT C345360OTDP
 Oro técnico/Opal 4200K C345361OTDT C345361OTDP



Isia

Metal/Acrylic-Metal/Acrílico


3453/100 Col. LED 150W 12300lm CRI>80 PCB []

ON/OFF-TRIAC DALI/PUSH


Textured White/Opal 3200K C345390BDT C345390BDP
 Blanco texturado/Opal 4200K C345391BDT C345391BDP

Textured Black/Opal 3200K C345390NDT C345390NDP
 Negro texturado/Opal 4200K C345391NDT C345391NDP

Technical Gold/Opal 3200K C345390OTDT C345390OTDP
 Oro técnico/Opal 4200K C345391OTDT C345391OTDP

REMOTE CONTROL AVAILABLE
MANDO A DISTANCIA DISPONIBLECASAMBI PROTOCOL AVAILABLE
PROTOCOLO CASAMBI DISPONIBLERAL COLOURS AVAILABLE
COLORES RAL DISPONIBLES


DILGA

**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/45  **LED 27W 2100lm 3200K CRI>80** PCB 

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345010B	P345010BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345010N	P345010NDT


**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/60  **LED 48W 3730lm 3200K CRI>80** PCB 

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	P345020B	P345020BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	P345020N	P345020NDT


DILGA

**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/45 Col. **LED 27W 2100lm 3200K CRI>80** PCB 


	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	C345010B	C345010BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	C345010N	C345010NDT

**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/60 Col. **LED 48W 3730lm 3200K CRI>80** PCB 

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	C345020B	C345020BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	C345020N	C345020NDT


**Dilga**

Metal/Acrylic-Metal/Acrílico

3450/90 Col. **LED 126W 9800lm 3200K CRI>80** PCB 

	ON-OFF	TRIAC
Textured White/Opal <i>Blanco texturado/Opal</i>	C345040B	C345040BDT
Textured Black/Opal <i>Negro texturado/Opal</i>	C345040N	C345040NDT

GOYA



Goya

Metal/Acrylic-Metal/Acrílico

5388/48 4xE27


White-Opal/Blanco-Opal

D53885B

5388/48 LED 36W 2480lm 3000K CRI>80 PCB

White-Opal/Blanco-Opal

D538850BL



Goya

Metal/Acrylic-Metal/Acrílico

388/48 4xE27

White-Opal/Blanco-Opal


P03885B

388/48 LED 36W 2480lm 3000K CRI>80 PCB

White-Opal/Blanco-Opal

P038850BL






Halo

Metal/Glass-Metal/Cristal



3724/52 Col.  **LED 36W 3064 lm CRI>80** PCB 

Textured White/Sanded	2700K	C372479BL
Blanco Texturado/Arenado	3200K	C372470BL
Satin Nickel/Sanded	2700K	C372479NSL
Níquel Satinado/Arenado	3200K	C372470NSL



Halo

Metal/Glass-Metal/Cristal



3724/52  **LED 36W 3064 lm CRI>80** PCB 

Textured White/Sanded	2700K	P372479B
Blanco Texturado/Arenado	3200K	P372470B
Satin Nickel/Sanded	2700K	P372479NSL
Níquel Satinado/Arenado	3200K	P372470NSL

SHIITAKE




Shiitake

Metal-Metal
Black/Gold -Negro/Oro

PCB

3740/70 Col.  LED 50W 4150lm 3200K CRI>80

C3740190NO



Shiitake

Metal/Acrylic-Metal/Acrílico
Black/Gold -Negro/Oro




3740/55  LED 60W 4560lm 3200K CRI>80 PCB

P374060NO





KYOTO




Kyoto

Metal/Methacrylate-Metal//Metacrilato
Textured White-Blanco Texturado

3587/45  **LED 28W 2100lm 3200K CRI>80** PCB 

P358710B



Kyoto

Metal/Methacrylate-Metal//Metacrilato
Textured White-Blanco Texturado

3587/60Col.  **LED 36W 2700lm 3200K CRI>80** PCB 

ON-OFF TRIAC

C358720B

C358720BDT

ALISO




Aliso

Metal/Acrylic-Metal/Acrílico


Textured white/Opal-Blanco Texturado/Opal

3742/80 Col.  LED 75W 5800lm 3200K CRI>80 PCB 

C3742220B



ALISO


**Aliso**

Metal/Acrylic-Metal/Acrílico

Textured white/Opal-Blanco Texturado/Opal

3742/60 Pla.  LED 55W 4600lm 3200K CRI>80 PCB 

P374290B

**Aliso**

Metal/Acrylic-Metal/Acrílico

Textured white/Opal-Blanco Texturado/Opal


3742/60 Col.  LED 55W 4600lm 3200K CRI>80 PCB 

C374290B

UFO



UP & DOWN LIGHT



Ufo

Metal/Methacrylate-Metal/Metacrilato




3773/50 Col. LED 18W+12W 1830lm+1220lm 3000K CRI>80 PCB

Textured White-Blanco Texturado C377310BDT

Textured Black-Negro Texturado C377310NDT

UFO

**Ufo**


Metal/Methacrylate-Metal/Metacrilato

**3773/50** **LED 26W 2300lm 3000K CRI>80** PCB

Textured White-Blanco Texturado P377310BDT

Textured Black-Negro Texturado P377310NDT

CURVE




Curve

Aluminium/Aluminio-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/50 LED 50W 4488lm 3200K CRI>80 PCB

P338470NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384 Pie LED 30W 2457lm 3200K CRI>80 PCB

H338410NM



Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate


3384 Sob LED 10W 819lm 3200K CRI>80 PCB

S338410NM





CURVE




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

16/3384  LED 10W 819lm 3200K CRI>80 PCB 

A338410NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/100  LED 36W 2866lm 3200K CRI>80 PCB 

C338490NM




Curve

Acrylic/Aluminium-Acrílico/Aluminio
Opal/Matt Nickel-Opal/Níquel Mate

3384/50 Col.  LED 36W 2866lm 3200K CRI>80 PCB 

C338470NM

SAMOA




Samoa

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/3P  LED 24W 1938lm 3200K CRI>80 PCB 

P364230B




Samoa

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

16/3642  LED 8W 646lm 3200K CRI>80 PCB 

A364210B



Samoa


Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/1 Sob.  LED 8W 646lm 3200K CRI>80 PCB 

S364210B





SAMOA

**Samoa**

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/5L  **LED 36W 3230lm 3200K CRI>80** PCB 

C364250B


**Samoa**

Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado

3642/3L  **LED 24W 1938lm 3200K CRI>80** PCB 

C364230B


DOMINICA

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/57 Col. **LED 40W 3224lm 3200K CRI>80** PCB


C368170C

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/76 Col. **LED 60W 4835lm 3200K CRI>80** PCB


C36810C

**Dominica**




Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/57 **LED 40W 3224lm 3200K CRI>80** PCB

P368170C



DOMINICA

**Dominica**


Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

16/3681  **LED 5W 400lm 3200K CRI>80** PCB 
A368110C

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/1 Pie.  **LED 18W 1140lm 3200K CRI>80** PCB 
H368110C

**Dominica**

Aluminium/Methacrylate-Aluminio/Metacrilato
Silver/Chrome-Plata/Cromo

3681/1 Sob.  **LED 6W 480lm 3200K CRI>80** PCB 
S368110C

AUSTRAL



Austral

Aluminium/PC-Aluminio/PC
White-Blanco

3455/1 LED 8W 720lm 3200K CRI>80

PCB

C34551012B




Austral

Aluminium/PC-Aluminio/PC
White-Blanco

3455/P4 LED 32W 2880lm 3200K CRI>80

PCB

P34554012B



Austral

Aluminium/PC-Aluminio/PC
White-Blanco


3455/R4 LED 32W 2880lm 3200K CRI>80

PCB

C34554012B



BELENUS

**Belenus**Metal/Methacrylate-Metal/Metacrilato
White-Blanco3444/30  **LED 50W 2770lm 3200K CRI>80** PCB 

ON-OFF


TRIAC

DALI


P344410B

P344410BDT

P344410BDP


**Belenus**Metal/Methacrylate-Metal/Metacrilato
White-Blanco3444/1  **LED 32W 1629lm 3200K CRI>80** PCB 

C344410B

**Belenus**Metal/Methacrylate-Metal/Metacrilato
White-Blanco3444/2 Col.  **LED 32+24W 1629+729lm 3200K CRI>80** PCB 

C344420B

NANOK



Nanok

Textil/Acrylic
Textil/Acrílico

3456/36



1xE27

Beige/Satin Nickel


C34560BG

Beige/Niquel Satinado

Brown/Satin Nickel

C34560MA

Marrón/Niquel Satinado



Nanok

Textil/Acrylic
Textil/Acrílico

3456/60



3xE27

Beige/Satin Nickel

C34561BG

Beige/Niquel Satinado


Brown/Satin Nickel

C34561MA

Marrón/Niquel Satinado



NANOK

**Nanok**Textil/Acrylic
Textil/Acrílico**3456/3L****3xE27**

Beige/Satin Nickel


Beige/Niquel Satinado

C34563BG

Brown/Satin Nickel

Marrón/Niquel Satinado

C34563MA

**Nanok**Textil/Acrylic
Textil/Acrílico**16/3456****1xE27**

Beige/Satin Nickel

Beige/Niquel Satinado


A34560B

Brown/Satin Nickel




Marrón/Niquel Satinado

A34560MA


MIRTA

**Mirta**Textil/Acrylic
Textil/Acrílico**3055/38**  **1xE27**White/Satin Nickel C30550B
Blanco/Níquel SatinadoStone/Satin Nickel C30550PI
Piedra/Níquel Satinado**3055/45**  **1xE27**White/Satin Nickel C30551B
Blanco/Níquel SatinadoStone/Satin Nickel C30551PI
Piedra/Níquel Satinado

MURTA

**Murta**Textil/Acrylic
Textil/Acrílico**3054/35**  **1xE27**White/Satin nickel S30540B
Blanco/Niquel satinadoStone/Satin Nickel S30540PI
Piedra/Niquel Satinado**Murta**Textil/Acrylic
Textil/Acrílico**3054/50**  **1xE27**White/Satin nickel S30541B
Blanco/Niquel satinadoStone/Satin Nickel S30541PI
Piedra/Niquel Satinado**Murta**Textil/Acrylic
Textil/Acrílico**3054/70**  **1xE27**White/Satin nickel S30542B
Blanco/Niquel satinadoStone/Satin Nickel S30542PI
Piedra/Niquel Satinado

FLEXI

**Flexi**

Metal/Silicone


Metal/Silicona

3473/5  **5xE27**

White/Blanco P34735B

Black/Negro P34735N

Bulb not included-Bombilla no incluida

**Flexi**

Metal/Silicone

Metal/Silicona

16/3473  **1xE27**


White/Blanco A34731B

Black/Negro A34731N

Bulb not included-Bombilla no incluida




SENT

**Sent**

Metal-Metal
Textured White-Blanco Texturado

3692/3L 1 3xE27


C36923B

**Sent**

Metal-Metal
Textured White-Blanco Texturado

3692/15 1 1xE27

C36921B


**Sent**

Metal-Metal
Textured White-Blanco Texturado

3692/35 1 1xE27

C36925B

NASSAU




Nassau

Metal/Acrylic-Metal/Acrílico
Textured white-Blanco texturado

3702/60+40 Col.  LED 52W+32.5W 7450lm 3200K CRI>80 PCB 

C370240B



Nassau



Metal/Acrylic-Metal/Acrílico
Textured white-Blanco Texturado

3702/60 Col.  LED 52W 4550lm 3200K CRI>80 PCB 


C370220B



ITAL

**Ital**Metal/Glass-Metal/Cristal
Chrome/White-Cromo/Blanco3543/52  LED 32W 3168lm 3200K CRI>80 PCB 
P354370C**Ital**Metal/Glass-Metal/Cristal
Chrome/White-Cromo/Blanco3543/52Col  LED 32W 3168lm 3200K CRI>80 PCB 
C354370C

STUDIO



Studio


Aluminium-Aluminio

3235/7  LED 8W 755lm 3200K CRI>80 COB 


White-Blanco C32351B

Black-Negro C32351N





ENON



Enon

Cement-Cemento

Grey Cement-Cemento Gris

3686/30




1xE27


C36861GR

SHIRU




**Shiru**Cement/Double layer glass-Cemento/Cristal doble capa
Cement Stone-Cemento Piedra**3685****1xE27**

C36851B

**Tari**Cement/Double layer glass-Cemento/Cristal doble capa
Cement Stone-Cemento Piedra**3657****1xE27**

C36571B

TARI

**Herc**Cement-Cemento
Sandstone-Piedra**3687****1xE27**

C36871B

HERC



ESFERA




Esfera

Metal-Metal

3738/42  1xE27

White-Blanco C37386B

Grey-Gris C37386GR




Esfera

Metal-Metal



3738/52  1xE27

White-Blanco C37388B

Grey-Gris C37388GR



ONNA

**Onna**

Aluminium/Acrylic-Aluminio/Acrílico


3195/1  **LED 8W 755lm 3200K CRI>80** COB 

White-Blanco C31951B

Black-Negro C31951N



TAI

**Tai**

Aluminium/Acrylic-Aluminio/Acrílico


3196/1  **LED 8W 755lm 3200K CRI>80** COB 

White-Blanco C31961B

Black-Negro C31961N



BENDIS



Bendis

Aluminium-Aluminio


CREE

3562/3 **LED 15W 1800lm 3200K CRI>80** PCB

White-Blanco C356230B

Black-Negro C356230N

Surface
Superficie






BENDIS

Surface



Recessed

**Bendis**

Aluminium-Aluminio

CREE**3562**  **LED 5W 600lm 3200K CRI>80 PCB** 

White-Blanco C356220B

Black-Negro C356220N

 Surface
Superficie**Bendis**

Aluminium-Aluminio

Recessed/Empotrable


CREE**3562**  **LED 5W 600lm 3200K CRI>80 PCB** 

White-Blanco E356220B

Black-Negro E356220N

 Recessed
EmpotrableCutting hole  Ø76mm.
Agujero de corte

DAGO

**Dago**Metal/Methacrylate-Metal/Metacrilato
Textured White-Blanco Texturado**8127** LED 31W 1747lm 3200K CRI>80 PCB []

ON-OFF

TRIAC

DALI


C81271B

C81271BDT

C81271BDP



GABO

**Gabo**Aluminium/Acrylic
Aluminio/Acrílico**3245/60** LED 50W 4500lm CRI>80 PCB []

ON-OFF


TRIAC

DALI/PUSH


White
Blanco3200K
4200KD324570B
D324571BD324570BDT
D324571BDTD324570BDP
D324571BDPBlack
Negro3200K
4200KD324570N
D324571ND324570NDT
D324571NDTD324570NDP
D324571NDP



MOALA

**Moala**


Metal/Acrylic-Metal/Acrílico

3656/62 Col.  **LED 35W 3108lm 3200K CRI>80** PCB Textured white
Blanco Texturado C365620BOxide Brown
Marrón Óxido C365620F**Moala**

Metal/Acrylic-Metal/Acrílico

3656/62+42 Col.  **LED 35W+23W 5150lm 3200K CRI>80** PCB Textured white
Blanco Texturado C365640BOxide Brown
Marrón Óxido C365640F

CIRO




Ciro

Metal/Glass-Metal/Cristal
Opal/Chrome-Opal/Cromo

7006  1xE27

C70064C

NINTU




Nintu

Metal-Metal
White-Blanco

3433/35  1xE27

C34331B

INARI



Inari


Metal-Metal
White-Blanco

3434/35  1xE27

C34341B



JARVIS



Jarvis

Metal-Metal

3708/30  1xE27

Textured Black

Negro Texturado

C370841N


Textured White

Blanco Texturado

C370841B



BELEP



Belep

Metal-Metal

3709/20  1xE27

Textured Black

Negro Texturado

C370921N

Textured White

Blanco Texturado

C370921B


WALLIS

**Wallis**


Metal-Metal

3715/1  **1xE27****Black** C37151N
*Negro***Aged antique brass** C37151U
*Cuero envejecido***Bulb not included-Bombilla no incluida**

TANA

**Tana**

Metal-Metal


3714/1  **1xE27****Black** C37141N
*Negro***Aged antique brass** C37141U
*Cuero envejecido***Bulb not included-Bombilla no incluida**ADD YOUR SHADE
AÑADE TU PANTALLA




Bagao

Metal-Metal

3710/26		1xE27
Black/White		C371031N
Negro/Blanco		
Black/Technical gold		C371031NOT
Negro/Oro técnico		
White/White		C371031B
Blanco/Blanco		
White/Technical gold		C371031BOT
Blanco/Oro técnico		
Bulb not included-Bombilla no incluida		



TIGA


**Tiga**

Metal-Metal

3707/35		1xE27
Textured Black-Textured White		C370741N
Negro Texturado-Blanco Texturado		
Textured Black-Technical gold		C370741NOT
Negro Texturado-Oro Técnico		
Textured White		C370741B
Blanco Texturado		
Textured White-Technical gold		C370741BOT
Blanco Texturado-Oro Técnico		



BELLONA


**Bellona**Metal-Metal
Black-Negro

3711/38		1xE27
C371151N		
Bulb not included-Bombilla no incluida		





ULAWA



Ulawa

Metal-Metal
Black-Negro

3712/35




1xE27

C3712S1N

Bulb not included-Bombilla no incluida



TAO



Tao

Metal-Metal
Black-Negro

3713/32




1xE27

C371341N

Bulb not included-Bombilla no incluida

DEKLA




Dekla

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8013 Apl.  **1xE27**

A80131NMSB

Shade measures-Medidas pantalla 160(H) X Ø200 X Ø170mm.




Dekla

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8013 Sob.  **1xE27**

S80131NSBEST

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø205mm.



Dekla

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8013 Pie.  **1xE27**


H80131NSBEST

Shade measures-Medidas pantalla 230(H) X Ø300 X Ø230mm.





ARAM



Aram

Metal/Cotton-Metal/Algodón
Satin Nickel-Níquel Satinado

1xE27

LED 3W 450lm PCB

16/657




3200K CRI>80

A166571NMS

Shade measures-Medidas pantalla 155(H) X 200 X 170 mm.



DION




Dion

Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8022 Sob. 1xE27

S80221NMSBEST

Shade measures-Medidas pantalla 185(H) X Ø280 X Ø233mm.



Dion


Metal/Cotton-Metal/Algodón
Satin Nickel/White-Níquel Satinado/Blanco

8022 Pie. 1xE27

H80221NMSBEST

Shade measures-Medidas pantalla 225(H) X Ø350 X Ø300mm.

EMES

**Emes**

Metal/Cotton

Metal/Algodón

8009 Apl.**1xE27**


Chrome-Cromo

A80091CB

Satin Nickel-Níquel Satinado

A80091NMSB

Shade measures-Medidas pantalla 140(H) X 200 X 120 mm.

**Emes**

Metal/Cotton

Metal/Algodón

8009 Sob.**1xE27**


Chrome-Cromo

S80091CBEST

Satin Nickel-Níquel Satinado

S80091NSBEST

Shade measures-Medidas pantalla 140(H) X 280 X 180 mm.

**Emes**

Metal/Cotton

Metal/Algodón

8009 Pie.**1xE27**

Chrome-Cromo

H80091CBEST

Satin Nickel-Níquel Satinado

H80091NSBEST

Shade measures-Medidas pantalla 185(H) X 380 X 240 mm.


PALMYRA



3 Steps dimming
3 intensidades



Touch control
Botón táctil

**Palmyra**

Metal-Metal
Black-Negro

8146 Pie. ☐ LED 25W+8W 2000+640lm 3000K CRI>80 PCB


H814610N



3 Steps dimming
3 intensidades



Touch control
Botón táctil

**Palmyra**

Metal-Metal
Black-Negro

8146 Sob. ☐ LED 8W 480lm 3000K CRI>80 PCB

S814610N

ELBA




Elba

Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco

8133 Sob.  1xE27

S81331CB

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø200mm.



Elba

Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco

8133 Pie.  1xE27


H81331CB

Shade measures-Medidas pantalla 220(H) X Ø350 X Ø280mm.






ELBA

**Elba**Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco**16/8133**  **1xE27**


A81331CB

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø200mm.

**Elba**Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco**8133/3**  **3xE27**

C81333CB

Shade measures-Medidas pantalla 220(H) X Ø350 X Ø280mm.

**Elba**Metal/Cotton-Metal/Algodón
Chrome/White-Cromo/Blanco**8133/2**  **2xE27**

C81332CB

Shade measures-Medidas pantalla 220(H) X Ø350 X Ø280mm.

MAUI



By Nacho Timón


Maui

Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

8163/5  5xE27

C81635O

 Ø max 45mm
máx. 120



By Nacho Timón


Maui



Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

8163/4  4xE27

C81634O

 Ø max 45mm
máx. 120




**Maui**

Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

8163 Pie  **1xE27**

H81631O

 Ømax. 45mm
máx. 120



**Maui**

Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

8163 Sob.  **1xE27**

S81631O

 Ømax. 45mm
máx. 120

**Maui**

Metal/Glass-Metal/Cristal
Antique Gold/Opal-Oro Viejo/Opal

16/8163  **1xE27**

A81631O

 Ømax. 45mm
máx. 120




Kin

Metal-Metal

Opal/Textured Black-Opal/Negro Texturado

8169 Pie LED 10W 740lm 3000K CRI>80 PCB

H816910N




Kin

Metal-Metal

Opal/Textured Black-Opal/Negro Texturado

8169/3 LED 15W 1100lm 3000K CRI>80 PCB

C816930N




Kin

Metal-Metal


Opal/Textured Black-Opal/Negro Texturado

16/8169 LED 5W 370lm 3000K CRI>80 PCB

A816910N




KIN

**Kin**

Metal-Metal
Opal/Textured Black-Opal/Negro Texturado

8169/5 LED 25W 1850lm 3000K CRI>80 PCB

C816950N


**Kin**

Metal-Metal
Opal/Textured Black-Opal/Negro Texturado

8169/6 LED 30W 2220lm 3000K CRI>80 PCB

C816960N

PRAIA


**Praia**

Metal/Methacrylate-Metal/Metacrilato

TRIDONIC**8164/1** **LED 24W 2950lm 3000K CRI>80** PCB

Satin Nickel-Níquel Satinado H816410NS

Antique Brass-Cuero H816410U


**Praia**

Metal/Methacrylate-Metal/Metacrilato

LED 24W 2950lm PCB **LED 3W 350lm** PCB **8164/2** **3000K CRI>80**


Satin Nickel-Níquel Satinado H816420NS

Antique Brass-Cuero H816420U





YAMENA



TRIDONIC

Yamena

Metal/Methacrylate-Metal/Metacrilato

LED 24W 2950lm PCB

LED 3W 350lm PCB

8165 3000K CRI>80

Satin Nickel-Níquel Satinado H816520NS

Chrome-Cromo H816520C

Textured Black-Negro Texturado H816520N

KEKE



Stepless dimming
Dimado progresivo





Touch control
Botón táctil



Built-in battery 2h min. - 30h max.
Batería integrada 30h

Built-in battery: 2h (100% intensity) - 30h (10% intensity)
Batería integrada: 2h (100% intensidad) - 30h (10% intensidad)



Keke

Acrylic/ABS-Acrílico/ABS
White-Blanco

8151 Sob.  **LED 6W 180lm 4200K CRI>80**  PCB

S81511B





TAKE ME



Take Me IP44

Polyethylene/Silicone-Polietileno/Silicona
Opal/Beige-Opal/Beige

8172  **LED 3W 180lm RGB CRI>80** PCB 

S817218BG



Bluetooth
Bluetooth



Remote control
Mando a distancia



Stepless dimming
Dimado progresivo



Speaker power
Potencia de los altavoces



RGB
RGB



Playback/Lighting time
Tiempo de reproducción/alumbrado



MOVE IT



Bluetooth
Bluetooth




Stepless dimming
Dimado progresivo



Playing/Lighting time
Tiempo de reproducción/alumbrado



Speaker power
Potencia de los altavoces



Move It IP44

Silicone/ABS-Silicona/ABS
Opal/Grey-Opal/Gris

8173  **LED 2W 180lm 4000K CRI>80** PCB 

S81731GR


MICAELA




Micaela

Textil/Acrylic-Textil/Acrílico

8174		1xE27
White/Blanco		S81741B
Turquoise/Turquesa		S81741TU
Grey/Gris		S81741GR
Mallow/Malva		S81741MV
Olive Green/Verde Oliva		S81741V



KURE



TOUCH control
Botón táctil



4 Steps dimming
4 Intensidades



4 Colour temp.
4 Temp. color
3000K-4000K
5000K-6000K



Kure

Acrylic/ABS-Acrílico/ABS
Black-Negro

8157 Sob. LED 8W 410lm 3000K-6000K CRI>80 PCB

S815710N

LAYSAN



USB
out put
USB
salida



TOUCH
control
Botón
táctil



6 Steps
dimming
6 Intensidades



5 Colour
temperature
5 Temperaturas
color



60 mins
timer
Temporizador
60 min.

Laysan

Aluminium/ABS-Acrílico/ABS
Black-Negro

USB output: DC 5V-MAX. 1A

8152 Sob. LED 10W 650lm 2800K-6500K CRI>80 PCB

S81521N

GALANDA

Galanda

Metal/Cotton


Metal/Algodón

8136  **1xE27**

Antique Brass
Cuero S81361U

Satin Nickel
Níquel Satinado S81361NS

Shade measures-Medidas pantalla 140(H) X Ø280 X Ø180 mm.



LIRIO

Lirio

Metal/Cotton


Metal/Algodón

8138  **1xE27**

Antique Brass
Cuero S81381U

Satin Nickel
Níquel Satinado S81381NS

Shade measures-Medidas pantalla 200(H) X Ø300 mm.



MARTA

Marta

Metal/Cotton


Metal/Algodón

2151  **1xE27**

Antique Brass
Cuero S21511U

Satin Nickel
Níquel Satinado S21511NMS

Shade measures-Medidas pantalla 180(H) X Ø250 X Ø200 mm.



MARTÍN

Martín

Metal/Cotton


Metal/Algodón

8125  **1xE27**


Antique Brass
Cuero S81251U

Satin Nickel
Níquel Satinado S81251NS

Shade measures-Medidas pantalla 165(H) X Ø140 mm.



XOLA


**Xola**

Metal/Glass-Metal/Cristal

8100/4P  **4xE14**

Chrome/White P81004C

Antique Brass/White P81004U


**Xola**

Metal/Opal glass-Metal/Cristal opal

8100/4L  **4xE14**

Chrome/White L81004C

Antique Brass/White L81004U

**Xola**



Metal/Opal glass-Metal/Cristal opal

8100 Sob.  **1xE14**



Chrome/White S81001C

Antique Brass/White S81001U

ELENA

ElenaMetal/Cristal
Metal/Glass**2173/3**  **3xE14**Chrome L21733C
CromoAntique Brass L21733U
Cuero**Elena**Metal/Cristal
Metal/Glass**2173 Sob.**  **1xE14**Chrome S21731C
CromoAntique Brass S21731U
Cuero

ELENA




Elena
Metal/Crystal
Metal/Glass

2173/6  **6xE14**

Chrome L21736C

Antique Brass L21736U
Cuero

VOLTA


**Volta**

Metal/Cotton

Metal/Algodón

8140/4  **4xE27**Antique Brass
Cuero C81404USatin Nickel
Níquel Satinado C81404NS

Shade measures-Medidas pantalla 130(H) X Ø220 mm.

**Volta**

Metal/Cotton

Metal/Algodón


8140/2  **2xE27**Antique Brass
Cuero C81402USatin Nickel
Níquel Satinado C81402NS

Shade measures-Medidas pantalla 130(H) X Ø220 mm.





DACIA




Dacia

Metal/Double layer glass-Metal/Cristal doble capa
Chrome/White-Cromo/Blanco

8121/5  5x E14

L81215BC




Dacia

Metal/Double layer glass-Metal/Cristal doble capa
Chrome/White-Cromo/Blanco

16/8121  1x E14

A81211BC




Dacia

Metal/Double layer glass-Metal/Cristal doble capa
Chrome/White-Cromo/Blanco

8121 Sob.  1x E14

S81211BC



ACB

**ILUMINACIÓN
EXTERIOR**
OUTDOOR LIGHTING

TAKE ME

**Take Me IP44**

Polyethylene/Silicone-Polietileno/Silicona
Opal/Beige-Opal/Beige

8172  **LED 3W 180lm RGB CRI>80** PCB 

S817218BG



Bluetooth
Bluetooth



Stepless dimming
Dimado progresivo



RGB
RGB



Remote control
Mando a distancia



Speaker power
Potencia de los altavoces



Playback/Lighting time
Tiempo de reproducción/alumbrado

KEKE



Stepless dimming
Dimado progresivo



Touch control
Botón táctil




Built-in battery 2h min. - 30h max.
Batería integrada 30h

Keke

Acrylic/ABS-Acrílico/ABS
White-Blanco


8151 Sob.  **LED 6W 180lm 4200K CRI>80**  PCB

S81511B



Built-in battery: 2h (100% intensity) - 30h (10% intensity)
Batería integrada: 2h (100% intensidad) - 30h (10% intensidad)

MOVE IT



Bluetooth
Bluetooth



Stepless dimming
Dimado progresivo



Playback/Lighting time
Tiempo de reproducción/alumbrado




6-7h

Speaker power
Potencia de los altavoces



1.5W




Move It IP44

Silicone/ABS-Silicona/ABS
Opal/Grey-Opal/Gris

8173  LED 2W 180lm 4000K CRI>80 PCB 

S81731GR


NIGHT



ACCESSORIES INCLUDED
ACCESORIOS INCLUIDOS



USES / USOS




Night IP54
Polyethylene/ABS-Polietileno/ABS
Opal/Black-Opal/Negro

8171  1xE27

S8171N

MADISON



AVAILABLE IN 3 VERSIONS:
ON-OFF, SENSOR AND EMERGENCY
DISPONIBLE EN 3 VERSIONES:
ON-OFF, SENSOR Y EMERGENCIA

Madison IP54

Acrylic-Acrílico
White-Blanco

3497/28 LED 24W 1700lm CRI>80 PCB


ON-OFF P349713B **3000K 4000K 6500K**

SENSOR P349713BMS **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación

EMERGENCY P349711BEM **4000K**


SENSOR



EMERGENCY



SQUARE



Square IP54


Acrylic-Acrílico
White-Blanco

3512/28 LED 24W 1700lm CRI>80 PCB

ON-OFF P351213B **3000K 4000K 6500K**

* 3 in 1: Set the colour temperature before installing
* 3 en 1: Configura la temperatura de color antes de la instalación

ACAI



Acai IP54

Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal


2002 

2xE27

P20024GR



DALIA



Dalia IP54

Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal

2003 

2xE27

P20034GR





TILO



0.5~3m/s
Motion sensor
Sensor de movimiento



6 X 12 m.
Detection zone
Zona de detección



5 - 50 lux
Light sensor
Sensor de luminosidad




5s-30 min.
Hold time
Tiempo de espera



6 m. max.
Mounting height
Altura de montaje



Automatic On/Off
Encendido automático


**Tilo IP65**

ABS/Acrylic-ABS/Acrílico
Grey/Opal-Gris/Opal

2013  **LED 15W 1750lm 3000K CRI>80** PCB 

P201310GR

YUCA



Yuca IP54


Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal

2001 

1xE27

P20013GR

SAUDO



Saudo IP54


Aluminium/Acrylic-Aluminio/Acrílico
Grey/Opal-Gris/Opal

2004 

1xE27

P20043GR

MALVA

**Malva IP65**


ABS/Acrylic-ABS/Acrílico

White-Blanco

16/3356  **LED 8W 450lm 4000K CRI>80**PCB 

A335621B

KENTIA

**Kentia IP65**

ABS/Acrylic-ABS/Acrílico


White-Blanco

3355/22  **LED 8W 450lm 4000K CRI>80**PCB 

P335521B



FICUS




Ficus IP54

Aluminium/Acrílico-Aluminio/Acrílico
Textured black/Opal-Negro texturado/Opal

2017/27 2xE27

P20174N



Sun IP65

Aluminium-Auminio
Textured black-Negro texturado


2026/13 LED 20W 1800lm 4200K CRI>80 PCB

A202611N

2026/20 LED 50W 4500lm 4200K CRI>80 PCB

A202621N

CALA



Hold time 5s-4 min.
Tiempo de espera 10s-4 min.



Light sensor
Sensor de luminosidad



Detection zone max. 8 m.
Zona de detección máx. 8 m.



Detection angle 45°-160°
Ángulo de detección 45°-160°



Motion sensor
Sensor de movimiento

Cala IP54

Aluminio-Aluminio

Dark grey-Gris oscuro

16/2018 LED 5.6W 610lm 3000K CRI>80


COB

A201810GR

Tilting
Basculante



AKA

**Aka IP54**

Aluminium/Acrylic-Aluminio/Acrílico



Textured black/Opal-Negro texturado/Opal

2024 LED 20W 1550lm 3200K CRI>80

PCB

A202410N

KOWA



Kowa IP54

Aluminium-Auminio

16/2033 LED 2x5W 850lm 3000K CRI>80

COB


Textured white-Blanco texturado

A203310B

Textured black-Negro texturado

A203310N

KENDO



Kendo IP54

Aluminium-Auminio

16/2032 LED 2x5W 850lm 3000K CRI>80

COB

Textured white-Blanco texturado


A203210B

Textured black-Negro texturado

A203210N



YOMU

**Yomu IP54**





Aluminium/Acrylic-Aluminio/Acrílico

Textured black/Opal-Negro texturado/Opal

2023  **LED 11W 800lm 3200K CRI>80** PCB 

A202310N

KANSAS

**Kansas IP54**


Aluminium/Acrylic-Aluminio/Acrílico

Textured black/Opal-Negro texturado/Opal

2025  **LED 11W 800lm 3200K CRI>80** PCB 

A202520N

HULLA



Hulla IP54


Aluminium-Aluminio

Textured anthracite-Antracita texturado

16/2027  LED 2X6W 831lm 3200K CRI>80 PCB 

A202710GR

DURILLO



Durillo IP54

Aluminium-Aluminio

Textured anthracite-Antracita texturado

16/2028  LED 2X6W 831lm 3200K CRI>80 PCB 

A202810GR



VULCAN



Radar sensor
Sensor radar




Detection zone max. 4-6 m.
Zona de detección máx. 4-6 m.



Light sensor
Sensor de luminosidad



Solar charger
Carga solar




Vulcan IP65

ABS/Acrílico-ABS/Acrílico
Black-Negro

2042  LED 3W 250lm 3000K CRI>80 PCB 

AS204210N

BOND



Motion sensor
Sensor de movimiento



Hold time 30s.
Tiempo de espera 30s.



Detection zone max. 5 m.
Zona de detección máx. 5 m.



Light sensor
Sensor de luminosidad



Solar charger
Carga solar


**Bond IP64**

ABS/Acrylic-ABS/Acrílico
Black/Opal-Negro/Opal

2043  **LED 2.5W 250lm 4000K CRI>80** PCB 

AS20431N

SOLAR



Motion sensor
Sensor de movimiento



Hold time 30s.
Tiempo de espera 30s.



Detection zone max. 3 m.
Zona de detección máx. 3 m.



Light sensor
Sensor de luminosidad



Solar charger
Carga solar


**Solar IP65**

ABS/Acrylic-ABS/Acrílico
Black-Negro

2020  **LED 6.6W 600lm 6000K CRI>80** PCB 

AS202012N

CUBE




Cube IP54
Aluminium/Glass-Aluminio/Cristal
Anthracite-Antracita

16/2039  1xE27

A20391GR


BOJ

**Boj IP54**

Aluminium-Auminio
Anthracite-Antracita

16/2015 **LED 2x6W 1100lm 3000K CRI>80** PCB


A201520GR

**Boj IP54**


Aluminium-Auminio
Anthracite-Antracita

16/2040 **LED 6W 550lm 3000K CRI>80** PCB

A204010GR





OKRA

**Okra IP54**

Aluminium-Auminio
Anthracite-Antracita

16/2041 **LED 6W 550lm 3000K CRI>80** PCB

A204110GR

**Okra IP54**

Aluminium-Auminio
Anthracite-Antracita


16/2014 **LED 2x6W 1100lm 3000K CRI>80** PCB

A201420GR





LIMA


**Lima IP54**

Aluminium/Acrylic-Aluminio/Acrílico

Grey-Gris

2006  **LED 5W 525lm 3200K CRI>80** PCB 

A20061GR

**Lima IP54**


Aluminium/Acrylic-Aluminio/Acrílico

Grey-Gris

2005  **LED 5W 525lm 3200K CRI>80** PCB 

A20058GR

ZEN




Zen IP54

Aluminium/Acrylic-Aluminio/Acrílico
Anthracite-Antracita

16/2038  LED 10W 720lm 3200K CRI>80 PCB 

A203810GR



Zen IP54

Aluminium/Acrylic-Aluminio/Acrílico
Anthracite-Antracita

2038  LED 10W 720lm 3200K CRI>80 PCB 

H203810GR

